

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911449	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/05/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

PLAZA OF HALLANDALE BEACH

**3535 SW 52ND AVENUE
PEMBROKE PARK, FL 33023**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments An unannounced Relicensure, Control, and Generator Monitoring survey was conducted on - at Plaza of Hallandale Beach. The facility had a deficiency identified at the time of the survey.	A 000		
A 078	59A-36.010(2) FAC Staffing Standards - Staff (2) STAFF: (a) Within 30 days after beginning employment, newly hired staff must submit a written statement from a health care provider documenting that the individual does not have any signs or symptoms of communicable The examination performed by the health care provider must have been conducted no earlier than 6 months before submission of the statement. Newly hired staff does not include an employee transferring without a break in service from one facility to another when the facility is under the same management or ownership. 1. Evidence of a negative examination must be documented on an annual basis. Documentation provided by the Florida Department of Health or a licensed health care provider certifying that there is a shortage of testing materials satisfies the annual examination requirement. An individual with a positive test must submit a health care provider's statement that the individual does not constitute a risk of 2. If any staff member has, or is suspected of having, a communicable, such individual must be immediately removed from duties until a written statement is submitted from a health care provider indicating that the individual does not constitute a risk of transmitting a communicable	A 078		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911449	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/05/2021
NAME OF PROVIDER OR SUPPLIER PLAZA OF HALLANDALE BEACH		STREET ADDRESS, CITY, STATE, ZIP CODE 3535 SW 52ND AVENUE PEMBROKE PARK, FL 33023			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 078	Continued From page 1 (b) Staff must be qualified to perform their assigned duties consistent with their level of education, training, preparation, and experience. Staff providing services requiring licensing or certification must be appropriately licensed or certified. All staff must exercise their responsibilities, consistent with their qualifications, to observe residents, to document observations on the appropriate resident's record, and to report the observations to the resident's health care provider in accordance with this rule chapter. (c) All staff must comply with the training requirements of rule 59A-36.011, F.A.C. (d) An assisted living facility to provide services to residents must ensure that individuals providing services are qualified to perform their assigned duties in accordance with this rule chapter. The contract between the facility and the staffing agency or contractor must specifically describe the services the staffing agency or contractor will provide to residents. (e) For facilities with a licensed capacity of 17 or more residents, the facility must: 1. Develop a written job description for each staff position and provide a copy of the job description to each staff member; and, 2. Maintain time sheets for all staff. (f) Level 2 background screening must be conducted for staff, including staff by the facility to provide services to residents, pursuant to sections 408.809 and 429.174, F.S. This Statute or Rule is not met as evidenced by: Based on interview and record review, the facility failed to provide evidence of a negative examination, documented on an annual basis provided by either the Florida Department of Health or a licensed health care provider, for 2 of 4 sampled employee personnel	A 078			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11911449	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/05/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

PLAZA OF HALLANDALE BEACH

**3535 SW 52ND AVENUE
PEMBROKE PARK, FL 33023**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 078	Continued From page 2 records reviewed: (Specifically, the Executive Director and Staff C). The findings included: On a review of the employee personnel record was conducted for the Executive Director (ED). It was revealed that the ED was hired on A review of the personnel record revealed that the statement indicating that the ED possessed a negative . . . test was not signed by a Health Care Provider. (See statement attached). On a review of the employee personnel record was conducted for Staff C. It was revealed that Staff C was hired on She works as a Resident Care Associate, providing direct care to residents and assisting them with their Activities of Daily Living (ADL's). A review of the most recent negative . . . test, revealed a date of (See statement attached). On at 04:00 PM, an interview was conducted with the ED. She refuted the findings. Class	A 078		