

Agency for Health Care Administration

|                                                     |                                                                                |                                                                        |                                                        |
|-----------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>AL11965054</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: _____<br><br>B. WING: _____ | (X3) DATE SURVEY<br>COMPLETED<br><br><b>02/14/2022</b> |
|-----------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------|

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

**THE COLONNADE AT NORTHDAL**

**3401 WEST BEARSS AVENUE  
TAMPA, FL 33618**

| (X4) ID<br>PREFIX<br>TAG | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)                                                                                                                                 | ID<br>PREFIX<br>TAG | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) | (X5)<br>COMPLETE<br>DATE |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------|
| A 000                    | <p>Initial Comments</p> <p>A complaint (complaint number 2021015975) in conjunction with a generator monitoring survey was conducted at The Colonnade At Northdale on 02/14/2022. There were no deficient practice identified at the time of the survey.</p> | A 000               |                                                                                                                          |                          |

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE