

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ830	408.821 FS Emergency Management Planning 408.821 Emergency management planning; emergency operations; inactive license.- (1) A licensee required by authorizing statutes and agency rule to have a comprehensive emergency management plan must designate a safety liaison to serve as the primary contact for emergency operations. Such licensee shall submit its comprehensive emergency management plan to the local emergency management agency, county health department, or Department of Health as follows: (a) Submit the plan within 30 days after initial licensure and change of ownership, and notify the agency within 30 days after submission of the plan. (b) Submit the plan annually and within 30 days after any significant modification, as defined by agency rule, to a previously approved plan. (c) Submit necessary plan revisions within 30 days after notification that plan revisions are required. (d) Notify the agency within 30 days after approval of its plan by the local emergency management agency, county health department, or Department of Health. (2) An entity subject to this part may temporarily exceed its licensed capacity to act as a receiving provider in accordance with an approved comprehensive emergency management plan for up to 15 days. While in an overcapacity status, each provider must furnish or arrange for appropriate care and services to all clients. In addition, the agency may approve requests for overcapacity in excess of 15 days, which approvals may be based upon satisfactory justification and need as provided by the receiving and sending providers. (3)(a) An inactive license may be issued to a licensee subject to this section when the provider	CZ830		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X8) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
CZ830	Continued From page 1 is located in a geographic area in which a state of emergency was declared by the Governor if the provider: 1. Suffered damage to its operation during the state of emergency. 2. Is currently licensed. 3. Does not have a provisional license. 4. Will be temporarily unable to provide services but is reasonably expected to resume services within 12 months. (b) An inactive license may be issued for a period not to exceed 12 months but may be renewed by the agency for up to 12 additional months upon demonstration to the agency of progress toward reopening. A request by a licensee for an inactive license or to extend the previously approved inactive period must be submitted in writing to the agency, accompanied by written justification for the inactive license, which states the beginning and ending dates of inactivity and includes a plan for the transfer of any clients to other providers and appropriate licensure fees. Upon agency approval, the licensee shall notify clients of any necessary discharge or transfer as required by authorizing statutes or applicable rules. The beginning of the inactive licensure period shall be the date the provider ceases operations. The end of the inactive period shall become the license expiration date, and all licensure fees must be current, must be paid in full, and may be prorated. Reactivation of an inactive license requires the prior approval by the agency of a renewal application, including payment of licensure fees and agency inspections indicating compliance with all requirements of this part and applicable rules and statutes. (4) . . . Licensees providing residential or inpatient services must utilize an online database	CZ830			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
CZ830	Continued From page 2 approved by the agency to report information to the agency regarding the provider's emergency status, planning, or operations. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to submit their comprehensive emergency management plan (CEMP) to the local reviewing agency on an annual basis. Findings Included: The facility's CEMP was reviewed on . The latest approval of the facility's CEMP was dated In an interview with the Administrator at 11:40am, on ., she stated that they were still working on the 2025 CEMP submittal and had not sent it in to the reviewing agency. Class III	CZ830			
{CZ875}	430.5025(4 &) / ; Training (4) Employees of covered providers must complete the following training for 's and related forms of : (a) Upon beginning employment, each employee must receive basic written information about interacting with persons who have 's or related forms of . (b) Within 30 days after beginning employment, each employee who provides personal care to or has regular contact with participants, patients, or residents must complete a 1-hour training program provided by the department.	{CZ875}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ875}	Continued From page 3 1. The department shall provide training that is available online at no cost. The 1-hour training program shall contain information on understanding the basics about the most common forms of _____, how to identify the signs and symptoms of _____, and skills for communicating and interacting with persons with _____'s _____ or related forms of _____. A record of the completion of the training program must be made available to the covered provider which identifies the training curricula, the name of the employee, and the date of completion. 2. A covered provider must maintain a record of the employee's completion of the training program and, upon written request of the employee, provide the employee with a copy of the record of completion consistent with the employer's written policies. 3. An employee who has completed the training required in this subsection is not required to repeat the program upon changing employment to a different covered provider. (c) Within 7 months after beginning employment for a home health agency, nurse registry, or companion or homemaker service provider, each employee who provides personal care must complete 2 hours of training in addition to the training required in paragraphs (a) and (b). The additional training must include, but is not limited to, behavior management, promoting the person's independence in activities of daily living, and skills in working with families and caregivers. (d) Within 7 months after beginning employment for a nursing home, an assisted living facility, an adult family-care home, or an adult day care center, each employee who provides personal care must complete 3 hours of training in addition to the training required in paragraphs (a) and (b).	{CZ875}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ875}	Continued From page 4 The additional training must include, but is not limited to, behavior management, promoting the person's independence in activities of daily living, skills in working with families and caregivers, group and individual activities, maintaining an appropriate environment, and ethical issues. (e) For an assisted living facility, adult family-care home, or adult day care center that advertises and provides, or is designated to provide, specialized care for persons with _____'s _____ or related forms of _____. In addition to the training specified in paragraphs (a) and (b), employees must receive the following training: 1. Within 3 months after beginning employment, each employee who provides personal care to or has regular contact with the residents or participants must complete the additional 3 hours of training as provided in paragraph (d). 2. Within 6 months after beginning employment, each employee who provides personal care must complete an additional 4 hours of _____-specific training. Such training must include, but is not limited to, understanding _____ and related forms of _____, the stages of _____'s _____, communication strategies, medical information, and stress management. 3. Thereafter, each employee who provides personal care must participate in at least 4 hours of continuing education each calendar year through contact hours, on-the-job training, or electronic learning _____. For this subparagraph, the term "on-the-job training" means a form of direct coaching in which a facility administrator or his or her designee instructs an employee who provides personal care with guidance, support, or _____-on experience to help develop and refine the employee's skills for caring for a person with _____'s _____ or a _____.	{CZ875}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{CZ875}	Continued From page 5 related form of . The continuing education must cover at least one of the topics included in the -specific training in which the employee has not received previous training in the previous calendar year. The continuing education may be fulfilled and documented in a minimum of one quarter-hour increments through on-the-job training of the employee by a facility administrator or his or her designee or by an electronic learning , chosen by the facility administrator. On-the-job training may not account for more than 2 hours of continuing education each calendar year. (f)1. An employee provided, assigned, or referred by a health care services pool must complete the training required in paragraph (c), paragraph (d), or paragraph (e) that is applicable to the covered provider and the position in which the employee will be working. The documentation verifying the completed training and continuing education of the employee, if applicable, must be provided to the covered provider upon request. 2. A health care services pool must verify and maintain documentation as required under s. 400.980(5) before providing, assigning, or referring an employee to a covered provider. (7) For a certified nursing assistant as defined in s. 464.201, training hours completed as required under this section may count toward the total hours of training required to maintain certification as a nursing assistant. (8) For a health care practitioner as defined in s. 456.001, training hours completed as required under this section may count toward the total hours of continuing education required by that practitioner's licensing board. (9) Each person employed, , or referred to provide services before , must complete the training required in this section	{CZ875}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ875}	Continued From page 6 before . . . Proof of completion of equivalent training completed before shall substitute for the training required in subsection (4). Each person employed, , or referred to provide services on or after , may complete training using approved curriculum under paragraph (5)(d) until the effective date of the rules adopted by the department under subsection (6). This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to ensure that employees who provided personal care to residents of a facility that provided specialized care for persons with and related forms of (ADRD) had the appropriate ARDR training for 2 staff members of 3 (Staff A and Staff C) whose records were reviewed. Findings Included: A review of Staff A's record revealed she began employment with the facility on and had only 1 hour of ARDR training dated . The file lacked evidence showing Staff A completed additional ARDR trainings in the months following her hire date, or completion of annual continuing education. A review of Staff C's record revealed she was rehired for employment on . Her record revealed only 3 hours of ARDR training dated . There was no evidence of the additional hour of training that was required. In an interview with the Administrator at 12:55 on , she stated that all of the staff's ARDR training would have been in the records, therefore	{CZ875}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 06/04/2025
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMELIA SPRINGS ASSISTED LIVING

1550 NECTARINE STREET

FERNANDINA BEACH, FL 32034

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{CZ875}	Continued From page 7 there was no further training and she was not aware of the ADRD training requirements. Class III	{CZ875}		
{A 000}	Initial Comments A revisit to a survey was conducted at Amelia Springs Assisted Living on . Deficiencies were identified at the time of survey.	{A 000}		
{A 084}	59A-36.011(6) FAC 429.52(6), FS Training - Assis Self-Admin Meds & Med Mgmt 59A-36.011 (6) ASSISTANCE WITH THE SELF-ADMINISTRATION OF MEDICATION AND MEDICATION MANAGEMENT. Unlicensed persons who will be providing assistance with the self-administration of medications as described in rule 59A-36.008, F.A.C., must meet the training requirements pursuant to section 429.52(6), F.S., prior to assuming this responsibility. Courses provided in fulfillment of this requirement must meet the following criteria: (a) Training must cover state law and rule requirements with respect to the supervision, assistance, administration, and management of medications in assisted living facilities; procedures and techniques for assisting the resident with self-administration of medication including how to read a prescription label; providing the right medications to the right resident; common medications; the importance of taking medications as prescribed; recognition of side effects and adverse reactions and procedures to follow when residents appear to be experiencing side effects and adverse reactions; documentation and record keeping; and	{A 084}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 084}	Continued From page 8 medication storage and disposal. Training shall include demonstrations of proper techniques, including techniques for control, and ensure unlicensed staff have adequately demonstrated that they have acquired the skills necessary to provide such assistance. (b) The training must be provided by a registered nurse or licensed pharmacist who shall issue a training certificate to a trainee who demonstrates, in person and both physically and verbally, the ability to: 1. Read and understand a prescription label; 2. Provide assistance with self-administration in accordance with section 429.256, F.S., and rule 59A-36.008, F.A.C., including: a. Assist with oral dosage forms, dosage forms, and and dosage forms; b. Measure liquid medications, break scored tablets, and crush tablets in accordance with prescription directions; c. Recognize the need to obtain clarification of an "as needed" prescription order; d. Recognize a medication order which requires judgment or discretion, and to advise the resident, resident's health care provider or facility employer of inability to assist in the administration of such orders; e. Complete a medication observation record; f. Retrieve and store medication; g. Recognize the general signs of adverse reactions to medications and report such reactions; h. Assist residents with syringes that are prefilled with the proper dosage by a pharmacist and that are prefilled by the manufacturer by taking the medication, in its previously dispensed, properly labeled container, from where it is stored, and bringing it to the	{A 084}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 084}	Continued From page 9 resident for self-injection; i. Assist with _____; j. Use a _____ to perform _____ testing; k. Assist residents with _____ and continuous positive airway pressure (CPAP) devices, excluding the titration of the _____ levels; l. Apply and remove _____ stockings and hosiery; m. Placement and removal of _____ bags, excluding the removal of the _____ or manipulation of the _____ site; and, n. Measurement of _____ rate, temperature, and _____ rate. (c) Unlicensed persons, as defined in section 429.256(1)(b), F.S., who provide assistance with self-administered medications and have successfully completed the initial 6 hour training, must obtain, annually, a minimum of 2 hours of continuing education training on providing assistance with self-administered medications and safe medication practices in an assisted living facility. The 2 hours of continuing education training may be provided online. (d) Trained unlicensed staff who, prior to the effective date of this rule, assist with the self-administration of medication and have successfully completed 4 hours of assistance with self-administration of medication training must complete an additional 2 hours of training that focuses on the topics listed in sub-subparagraphs (6)(b)2.h.-n. of this section, before assisting with the self-administration of medication procedures listed in sub-subparagraphs (6)(b)2.h.-n. 429.52 (6) Staff assisting with the self-administration of	{A 084}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 084}	Continued From page 10 medications under s. 429.256 must complete a minimum of 6 additional hours of training provided by a registered nurse or a licensed pharmacist before providing assistance. Two hours of continuing education are required annually thereafter. The agency shall establish by rule the minimum requirements of this training This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to ensure that employees who assisted residents with medication self-administration recieved training on an annual basis, for 1 of 4 years reviewed. Findings Included: An interview with the Administrator at 12:15pm, on _____, revealed that Staff B assisted residents with medication self-administration. A review of Staff B's record revealed medication training in 2022, 2023, and 2024. Nothing was located showing she recieved training since the last education received on _____. In an interview with the Administrator at 12:55pm on _____, she stated that she was not aware that Staff B did not have her annual 2 hour medication training update for the year 2025. Class III	{A 084}			
{A 200}	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities.	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 11 (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in Section 408.621, F.S. and subsection	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 12 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to Chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 200}	Continued From page 13 emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to Section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 14 ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (b) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the county emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within 30 days of the approval of the plan from the county emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration to	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 15 assistedliving@ahca.myflorida.com. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the county emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (c) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in _____ air temperatures inside the facility. Procedures must address the care of	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 200}	Continued From page 16 residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of _____ and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by Chapter 429, Part I, or Chapter 408, Part II, F.S., including, but not limited to, license revocation, license	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 17 suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon the initial submission of the plan to the county emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. 3. Annual submissions and approvals of the plan do not require notification to residents or their legal representatives unless a significant modification as defined in Rule 59A-36.019, F.A.C., has been made to the plan. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request.	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING			STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 18 This Statute or Rule is not met as evidenced by: Based on observation, record review, and interview, the facility failed to ensure the minimum amount of fuel was onsite for care and services to its residents in the event power is lost; additionally it failed to maintain the cooling devices and maintenance/testing services required by their emergency plan. Findings Included: A review of the facility's approved comprehensive emergency power plan (CEMP) revealed 2 portable generators were to be onsite, and a 50 gallon drum of gasoline, with a manual pump, to fuel them. This would be enough fuel to last for 100 hours in the event they lost power. The approved plan stated they would have 4 portable air conditioners and 2 air conditioning window units, as well as 8 18" oscillating fans to cool the 2 buildings on the facility campus. The approved plan stated that they would test each generator monthly and have each generator serviced professionally on a quarterly basis. The plan also stated that during mock emergency plan training, they would connect and fuel both generators and connect all emergency cooling equipment (fans and air conditioners) to ensure that they all worked. Photographic evidence obtained. An observation of the facility's cooling equipment was conducted on at 11:25am, which were located in an interior storage room within the main assisted living facility building. The storage room contained 2 window unit air conditioners, both of which were still packed in their original boxes, and 1 standing portable air conditioner. There were also 5 large fans stored in the same space.	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 19 At 11:25am on _____, the Administrator stated that the equipment contained in that space was what they were going to use in case they lost power and needed to cool the 2 facility buildings. Within the second building on the facility's campus, which contained the memory care unit, an observation was conducted at 11:35am on _____ of in an interior storage room. The storage space contained 2 portable generators, and 2 empty 5-gallon gasoline tanks. There was no other equipment observed in that space intended for the facility's emergency power plan. The room smelled of gasoline. In an interview with the Administrator at 11:35am on _____, she stated that they were keeping the generators and gas tanks inside the building because she was afraid if they kept them outside, they would be stolen. All the emergency power and cooling equipment, and fuel, was kept in the storage rooms of the 2 buildings, and what was seen was what they had onsite. An observation of the facility's 2 outdoor storage units at 11:38am on _____, revealed a small storage shed containing some furniture and a wheelchair, but no emergency power or cooling equipment, and no fuel. The larger storage unit revealed it also contained no emergency power or cooling equipment, and no fuel. Missing were the 50 gallon fuel tank with a manual pump, 3 portable standing air conditioners and 3 18" oscillating fans which were listed in the CEMP. At 11:45am on _____, the Administrator admitted that they did not have anyone to set up the generators, or test them, as they did not have maintenance personnel. They had, in the past,	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964585	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 06/04/2025
NAME OF PROVIDER OR SUPPLIER AMELIA SPRINGS ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1550 NECTARINE STREET FERNANDINA BEACH, FL 32034			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 20 used a local handy man. She stated she could not remember the last time the emergency power and cooling system was tested. Class III	{A 200}			