Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ875 SS=D	430.5025(4 &) / ; Training (4) Employees of covered providers must complete the following training for 's and related forms of : (a) Upon beginning employment, each employee must receive basic written information about interacting with persons who have 's or related forms of . (b) Within 30 days after beginning employment, each employee who provides personal care to or has regular contact with participants, patients, or residents must complete a 1-hour training program provided by the department. 1. The department shall provide training that is available online at no cost. The 1-hour training program shall contain information on understanding the basics about the most common forms of , how to identify the signs and symptoms of , and skills for communicating and interacting with persons with ' s or related forms of . A record of the completion of the training program must be made available to the covered provider which identifies the training curricula, the name of the employee, and the date of completion. 2. A covered provider must maintain a record of the employee's completion of the training program and, upon written request of the employee, provide the employee with a copy of the record of completion consistent with the employer's written policies. 3. An employee who has completed the training required in this subsection is not required to repeat the program upon changing employment to a different covered provider. (c) Within 7 months after beginning employment for a home health agency, nurse registry, or companion or homemaker service provider, each	ZZ875		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ875	Continued From page 1	ZZ875		

employee who provides personal care must complete 2 hours of training in addition to the training required in paragraphs (a) and (b). The additional training must include, but is not limited to, behavior management, promoting the person ' s independence in activities of daily living, and skills in working with families and caregivers.
(d) Within 7 months after beginning employment for a nursing home, an assisted living facility, an adult family-care home, or an adult day care center, each employee who provides personal care must complete 3 hours of training in addition to the training required in paragraphs (a) and (b). The additional training must include, but is not limited to, behavior management, promoting the person's independence in activities of daily living, skills in working with families and caregivers, group and individual activities, maintaining an appropriate environment, and ethical issues.
(e) For an assisted living facility, adult family-care home, or adult day care center that advertises and provides, or is designated to provide, specialized care for persons with 's or related forms of , in addition to the training specified in paragraphs (a) and (b), employees must receive the following training:
1. Within 3 months after beginning employment, each employee who provides personal care to or has regular contact with the residents or participants must complete the additional 3 hours of training as provided in paragraph (d).
2. Within 6 months after beginning employment, each employee who provides personal care must complete an additional 4 hours of -specific training. Such training must include, but is not limited to, understanding and related forms of , the stages of 's , communication strategies, medical information,

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ875	Continued From page 2 and stress management. 3. Thereafter, each employee who provides personal care must participate in at least 4 hours of continuing education each calendar year through contact hours, on-the-job training, or electronic learning . For this subparagraph, the term "on-the-job training" means a form of direct coaching in which a facility administrator or his or her designee instructs an employee who provides personal care with guidance, support, or -on experience to help develop and refine the employee's skills for caring for a person with 's or a related form of . The continuing education must cover at least one of the topics included in the -specific training in which the employee has not received previous training in the previous calendar year. The continuing education may be fulfilled and documented in a minimum of one quarter-hour increments through on-the-job training of the employee by a facility administrator or his or her designee or by an electronic learning chosen by the facility administrator. On-the-job training may not account for more than 2 hours of continuing education each calendar year. (f)1. An employee provided, assigned, or referred by a health care services pool must complete the training required in paragraph (c), paragraph (d), or paragraph (e) that is applicable to the covered provider and the position in which the employee will be working. The documentation verifying the completed training and continuing education of the employee, if applicable, must be provided to the covered provider upon request. 2. A health care services pool must verify and maintain documentation as required under s. 400.980(5) before providing, assigning, or referring an employee to a covered provider.	ZZ875		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ875	Continued From page 3 (7) For a certified nursing assistant as defined in s. 464.201, training hours completed as required under this section may count toward the total hours of training required to maintain certification as a nursing assistant. (8) For a health care practitioner as defined in s. 456.001, training hours completed as required under this section may count toward the total hours of continuing education required by that practitioner's licensing board. (9) Each person employed, , or referred to provide services before , , must complete the training required in this section before , . Proof of completion of equivalent training completed before , , shall substitute for the training required in subsection (4). Each person employed, , or referred to provide services on or after , , may complete training using approved curriculum under paragraph (5)(d) until the effective date of the rules adopted by the department under subsection (6). This Statute or Rule is not met as evidenced by: Based on personnel record reviews and interview, the facility failed to ensure 2 of 5 sampled staff (A, C) completed an annual update of the (4) four hours of continuing education. Findings: 1. Review of Caregiver C's record revealed a hire date on . Further review revealed Level I 4 hrs. training was completed on and Level II training completed on . There was no documented evidence of 4 hrs. training's completed in 2024 or 2025. On at 6:47 PM, the HR Coordinator	ZZ875		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ875	Continued From page 4 provided additional training which did not include the missing training. 2. A review of Caregiver A's personnel record revealed date of hire . On she completed 4 hours in both Level 1 and Level 2 training and completed the required new 1-hour Department of Elder Affairs (DOEA) video training on . There was no documented evidence that Caregiver A completed 4 hours annual update 's training. On at 7:05 PM, an interview with the Human Resource Coordinator confirmed the finding. (Photographic Evidence Obtained) Class III	ZZ875		
A 000	Initial Comments A re-licensure survey and a generator monitoring was conducted at Legacy Pointe at UCF Assisted Living Facility and Memory Care with Limited Nursing Services (LNS) on . The provider had deficiencies at the time of the survey visit.	A 000		
A 040 SS=D	429.55(2) F.S. Resident Education- (V (2) VTE CONSUMER INFORMATION.- (a) The Legislature finds that many , , (PEs) are preventable and that information about the prevalence of the could save lives. (b) The term ", , " means a	A 040		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 040	Continued From page 5 condition in which part of the clot breaks off and travels to the , possibly causing . (c) The term " " means , which is a clot located in a deep , usually in the or arm. The term can be used to refer to , , , or both. (d) Assisted living facilities must provide a consumer information pamphlet to residents upon admission. The pamphlet must contain information about , including risk factors and how residents can recognize the signs and symptoms of . This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to provide upon admission, the facility's pamphlet regarding education about , ( ) clot consumer information provided to the resident and/or legal representatives for 3 of 3 sampled residents (#1, # #4) as required, effective on . Findings: 1. A review of Resident #1's record revealed date of admission on . 2. A review of Resident #3's record revealed date of admission on . 3. A review of Resident #4's record revealed date of admission on . There was no documented evidence provided by the facility that both residents and/or legal representatives received the clot consumer education pamphlet at admission.	A 040		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 040	Continued From page 6 On at 1:20 PM, an interview with the Administrator confirmed the findings and she further stated that she researched the information on the Department of Health (DOH) website to create a form for new admissions. Class III	A 040		
A 078 SS=D	59A-36.010(2) FAC Staffing Standards - Staff (2) STAFF. (a) Within 30 days after beginning employment, newly hired staff must submit a written statement from a health care provider documenting that the individual does not have any signs or symptoms of communicable . The examination performed by the health care provider must have been conducted no earlier than 6 months before submission of the statement. Newly hired staff does not include an employee transferring without a break in service from one facility to another when the facility is under the same management or ownership. 1. Evidence of a negative examination must be documented on an annual basis. Documentation provided by the Florida Department of Health or a licensed health care provider certifying that there is a shortage of testing materials satisfies the annual examination requirement. An individual with a positive test must submit a health care provider's statement that the individual does not constitute a risk of 2. If any staff member has, or is suspected of having, a communicable , such individual must be immediately removed from duties until a written statement is submitted from a health care provider indicating that the individual does not	A 078		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 078	Continued From page 7 constitute a risk of transmitting a communicable . (b) Staff must be qualified to perform their assigned duties consistent with their level of education, training, preparation, and experience. Staff providing services requiring licensing or certification must be appropriately licensed or certified. All staff must exercise their responsibilities, consistent with their qualifications, to observe residents, to document observations on the appropriate resident's record, and to report the observations to the resident's health care provider in accordance with this rule chapter. (c) All staff must comply with the training requirements of rule 59A-36.011, F.A.C. (d) An assisted living facility ␣ to provide services to residents must ensure that individuals providing services are qualified to perform their assigned duties in accordance with this rule chapter. The contract between the facility and the staffing agency or contractor must specifically describe the services the staffing agency or contractor will provide to residents. (e) For facilities with a licensed capacity of 17 or more residents, the facility must: 1. Develop a written job description for each staff position and provide a copy of the job description to each staff member; and, 2. Maintain time sheets for all staff. (f) Level 2 background screening must be conducted for staff, including staff by the facility to provide services to residents, pursuant to sections 408.809 and 429.174, F.S. This Statute or Rule is not met as evidenced by: Based on interview and record review, the facility failed to ensure 1 of 5 sampled staff (Resident Care Director) submitted a written statement from a health care provider documenting that the	A 078		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 078	Continued From page 8 individual does not have any signs or symptoms of communicable within 30 days after beginning employment. Findings: Review of the Resident Care Director's personnel record revealed a hire date of . The record did not have a written statement from a health care provider documenting that the RCD does not have any signs or symptoms of communicable . On at 7 PM, the Human Resource Coordinator confirmed the findings. Class III	A 078		
A 081 SS=D	429.52(1 & 7) FS; 59A-36.011( ) FAC Training - Staff In-Service 429.52 (1)(a) Each new assisted living facility employee who has not previously completed core training must attend a preservice orientation provided by the facility before interacting with residents. The preservice orientation must be at least 2 hours in duration and cover topics that help the employee provide responsible care and respond to the needs of facility residents. Upon completion, the employee and the administrator of the facility must sign a statement that the employee completed the required preservice orientation. The facility must keep the signed statement in the employee ' s personnel record. (b) Each assisted living facility employee must complete the training required under s. 430.5025. However, an employee of an assisted living facility licensed as a limited mental health facility	A 081		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 9 under s. 429.075 is exempt from the training requirements under s. 430.5025(4)(d). (c) If an assisted living facility employee completes the 1-hour training required under s. 430.5025 before interacting with residents, such training may count toward the 2 hours of preservice orientation required under paragraph (a). (7) Facility staff shall participate in inservice training relevant to their job duties as specified by agency rule. Topics covered during the preservice orientation are not required to be repeated during inservice training. A single certificate of completion that covers all required inservice training topics may be issued to a participating staff member if the training is provided in a single training course. 59A-36.011 (2) STAFF PRESERVICE ORIENTATION. (a) Facilities must provide a preservice orientation of at least 2 hours to all new assisted living facility employees who have not previously completed core training as detailed in subsection (1). (b) New staff must complete the preservice orientation prior to interacting with residents. (c) Once complete, the employee and the facility administrator must sign a statement that the employee completed the preservice orientation which must be kept in the employee's personnel record. (d) In addition to topics that may be chosen by the facility administrator, the preservice orientation must cover: 1. Resident's rights; and, 2. The facility's license type and services offered	A 081		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 10 by the facility. (3) STAFF IN-SERVICE TRAINING. Facility administrators or managers shall provide or arrange for the following in-service training to facility staff: (a) Staff who provide direct care to residents, other than nurses, certified nursing assistants, or home health aides trained in accordance with rule 59A-8.0095, F.A.C., must receive a minimum of 1 hour in-service training in control, including universal precautions and facility sanitation procedures, before providing personal care to residents. The facility must use its control policies and procedures when offering this training. Documentation of compliance with the staff training requirements of 29 CFR 1910.1030, relating to borne , , may be used to meet this requirement. (b) Staff who provide direct care to residents must receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Reporting adverse incidents. 2. Facility emergency procedures including chain-of-command and staff roles relating to emergency evacuation. (c) Staff who provide direct care to residents, who have not taken the core training program, shall receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Resident rights in an assisted living facility. 2. Recognizing and reporting resident , neglect, and , . The facility must use its prevention policies and procedures when offering this training. (d) Staff who provide direct care to residents, other than nurses, CNAs, or home health aides	A 081		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 11 trained in accordance with rule 59A-8.0095, F.A.C., must receive 3 hours of in-service training within 30 days of employment that covers the following subjects: 1. Resident behavior and needs. 2. Providing assistance with the activities of daily living. (e) Staff who prepare or serve food, who have not taken the assisted living facility core training must receive a minimum of 1-hour-in-service training within 30 days of employment in safe food handling practices. (f) All facility staff shall receive in-service training regarding the facility's resident elopement response policies and procedures within thirty (30) days of employment. 1. All facility staff shall be provided with a copy of the facility's resident elopement response policies and procedures. 2. All facility staff shall demonstrate an understanding and competency in the implementation of the elopement response policies and procedures. This Statute or Rule is not met as evidenced by: Based on personnel record review and interview, the facility failed to ensure that 3 of 5 sampled staff (A, B, C) completed in-service training within 30 days of employment as required. Findings: 1. A review of Caregiver A's personnel record revealed date of hire as . Caregiver A was missing or did not complete the in-service	A 081		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 12 trainings for the following: a) 1-hour reporting major incidents, Adverse incidents and Emergency procedures/Evacuation training. b) 1-hour , neglect and , training. c) 1-hour nutritional safe food handling training and d) elopement response training. On at 7:05 PM, an interview with the Human Resource Coordinator confirmed that she could not locate the missing training. 2. On at 1:05 PM, caregiver B said she did not know if she received training regarding the facility's emergency plan and could not remember what her role was during an emergency evacuation or power outage. Review of caregiver B's personnel record revealed a hire date of . The certificate of training on emergency procedures and evacuation orientation, dated , did not include the duration of the training. On at 7:20 PM, the Human Resource Coordinator said to determine comprehension of the training, she asked the group of staff if they understood the emergency procedures and evacuation training. In addition, she confirmed the lack of training duration on the certificate. Review of the Resident Care Director's personnel record revealed a hire date of . The certificate of training on emergency procedures and evacuation orientation, dated , did not include the duration of the training. On at 7 PM, the Human Resource	A 081		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 13 Coordinator confirmed the lack of training duration on the certificate. 3. Review of Caregiver C's record revealed a hire date on . There was no documented evidence of elopement response training. On at 6:47 PM, the HR Coordinator provided additional training which did not include the missing training. Class III	A 081		
A 082 SS=D	59A-36.011(4) FAC Training - / (4) . . / . (/). Pursuant to section 381.0035, F.S., all facility employees, with the exception of employees subject to the requirements of section 456.033, F.S., must complete a one-time education course on and , including the topics prescribed in the section 381.0035, F.S. New facility staff must obtain the training within 30 days of employment. Documentation of compliance must be maintained in accordance with subsection (12), of this rule. This Statute or Rule is not met as evidenced by: Based on personnel record review and interview, the facility failed to ensure that 2 of 5 sampled staff (A, C) completed the one-time education training course on / , (/) within 30 days of employment as required. Findings:	A 082		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 082	Continued From page 14 1. A review of Caregiver A's personnel record revealed date of hire . There was no documentation evidence of the / training being completed. On at 7:05 PM, an interview with the Human Resource Coordinator confirmed that she could not locate the training. 2. Review of Caregiver C's record revealed a hire date on . There was no documented evidence of / training being completed. On at 6:47 PM, the HR Coordinator provided additional training which did not include the missing training. Class III	A 082		
A 090 SS=D	59A-36.011(11) FAC Training - (11) TRAINING. (a) Currently employed facility administrators, managers, direct care staff and staff involved in resident admissions must receive at least one hour of training in the facility's policies and procedures regarding (b) Newly hired facility administrators, managers, direct care staff and staff involved in resident admissions must receive at least one hour of training in the facility's policy and procedures regarding within 30 days after employment. (c) Training shall consist of the information included in rule 59A-36.009, F.A.C.	A 090		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 090	Continued From page 15 This Statute or Rule is not met as evidenced by: Based on personnel record review and interview, the facility failed to ensure that 3 of 5 sampled staff (A, B, C) completed 1-hour ( ) training that's specific to the facility's policy and procedures as required within 30 days after employment. 1. A review of Caregiver A's personnel record revealed the date of hire as . There was no documented evidence in the file for the 1-hour training completed. On at 7:05 PM, an interview with the Human Resource Coordinator confirmed the finding and that she could not locate the missing training. 2. Review of caregiver B's personnel record revealed a hire date of . The certificate of training on and the orientation form, both dated , showed a total of 15 minutes of training. Review of the Resident Care Director's personnel record revealed a hire date of . The certificate of training on and the orientation form, both dated , showed a total of 15 minutes of training. On at 7 PM, the Human Resource Coordinator confirmed the findings. 3. Review of Caregiver C's record revealed a hire date on . There was no documented evidence of training being completed. On at 6:47 PM, the HR Coordinator provided additional training which did not include	A 090		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 090	Continued From page 16 the missing training. Class III	A 090		
A 161 SS=D	429.275(2) FS; 59A-36.015(2) FAC Records - Staff 429.275 (2) The administrator or owner of a facility shall maintain personnel records for each staff member which contain, at a minimum, documentation of background screening, if applicable, documentation of compliance with all training requirements of this part or applicable rule, and a copy of all licenses or certification held by each staff who performs services for which licensure or certification is required under this part or rule. 59A-36.015 (2) STAFF RECORDS. (a) Personnel records for each staff member must contain, at a minimum, a copy of the employment application, with references furnished, and documentation verifying freedom from signs or symptoms of communicable . In addition, records must contain the following, as applicable: 1. Documentation of compliance with all staff training and continuing education required by Rule 59A-36.011, F.A.C., 2. Copies of all licenses or certifications for all staff providing services that require licensing or certification, 3. Documentation of compliance with level 2 background screening for all staff subject to screening requirements as specified in Section 429.174, F.S., and Rule 59A-36.010, F.A.C., 4. For facilities with a licensed capacity of 17 or	A 161		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 161	Continued From page 17 more residents, a copy of the job description given to each staff member pursuant to Rule 59A-36.010, F.A.C., 5. Documentation verifying direct care staff and administrator participation in resident elopement drills pursuant to paragraph 59A-36.007(8)(c), F.A.C. (b) The facility is not required to maintain personnel records for staff provided by a licensed staffing agency or staff employed by an entity ⌄ to provide direct or indirect services to residents and the facility. However, the facility must maintain a copy of the contract between the facility and the staffing agency or contractor as described in Rule 59A-36.010, F.A.C. (c) The facility must maintain the written work schedules and staff time sheets for the most current 6 months as required by Rule 59A-36.010, F.A.C. This Statute or Rule is not met as evidenced by: Based on personnel record review and interview, the facility failed to obtain a job description for Caregiver A and a completed employment application with references for the Administrator as required. Findings: 1. A review of Caregiver A's personnel record revealed a date of hire of . There was no job description in the file as required for each staff that's employed at an assisted living facility with 17+ bed capacity. 2. A review of the Administrator's personnel record revealed a date of hire of . There was no completed employment application with references found in the record.	A 161		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 161	Continued From page 18 On at 5:45 PM, an interview with the Administrator said that she did not have a copy of her employment application and references and that she had provided them to Human Resources. On at 7:05 PM, an interview with the Human Resource Coordinator confirmed that she could not locate the Administrator's employment application and further stated that she could ask the Administrator for a copy. It was explained that the Administrator was already asked. Class III	A 161		
A 200 SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 19 living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in Section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 20 systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to Chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 21 onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to Section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (b) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 22 systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the county emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within 30 days of the approval of the plan from the county emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration to assistedliving@ahca.myflorida.com. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the county emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than . , have implemented the plan required under this rule. (b) Each new assisted living facility shall implement the plan required under this rule prior	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 23 to obtaining a license. (c) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of , and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 24	A 200		

authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request.
(c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law.
(6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by Chapter 429, Part I, or Chapter 408, Part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines.
(7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN.
(a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule.
(b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan.
(8) NOTIFICATION.
(a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative:
1. Upon the initial submission of the plan to the

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 25 county emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. 3. Annual submissions and approvals of the plan do not require notification to residents or their legal representatives unless a significant modification as defined in Rule 59A-36.019, F.A.C., has been made to the plan. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on observation and interview, the facility failed to demonstrate the generator testing onsite and did not provide the generator testing logs as required. Findings: An observation on at 5:26 PM, the Maintenance Assistant was not able to demonstrate turning on the generator for testing for survey. The Maintenance Assistant was on his cellphone speaking to someone asking where the switch was. The Maintenance Assistant kept walking around the generator, unable to locate the switch to test and turn it on. It was asked if the generator took diesel or gas, and he was not sure. The Administrator was outside present	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 26 observing. The facility could not locate the generator logs for testing weekly per the written Comprehensive Emergency Management Plan (CEMP). On at 5:30 PM, an interview with the Administrator stated that the Maintenance Director had already left for the day during the survey without explanation and she was not able to locate the generator testing logs. Class III	A 200		
AN278 SS=D	59A-36.022(3) FAC; 429.07(3)(c)2, FS LNS - Records 59A-36.022 (3) RECORDS. (a) A record of all residents receiving limited nursing services and the type of services provided must be maintained at the facility. (b) Nursing progress notes must be maintained for each resident who receives limited nursing services from facility staff. (c) A nursing assessment conducted at least monthly must be maintained on each resident who receives a limited nursing service. 429.07 (3)(c)2, FS A facility that is licensed to provide limited nursing services shall maintain a written progress report on each person who receives such nursing services from the facility's staff. The report must describe the type, amount, duration, scope, and outcome of services that are rendered and the general status of the resident's health... This Statute or Rule is not met as evidenced by:	AN278		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11970040	A. BUILDING: _____ B. WING _____	09/02/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LEGACY POINTE AT UCF	2120 HESTIA LP OVIEDO, FL 32765

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
AN278	Continued From page 27 Based on interview and record review, the facility failed to ensure nursing progress notes were maintained and a nursing assessment was conducted at least monthly for 1 of 8 sampled residents (#1). Findings: Review of the facility's license revealed limited nursing service designation. Review of Resident #1's record found an order from a health care provider, dated , to cleanse , , , site twice daily then apply a split sponge. The record had no nursing progress notes completed by the nurses to describe the date, type, scope, amount, duration, and outcome of services that were rendered, the general status of the Resident's health, any deviations in the residents health, and any contact with the Resident's physician. Review of monthly nursing assessments revealed no assessment was conducted in . On at 6:15 PM, the Resident Care Director confirmed the findings. Class III	AN278		