Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments A complaint investigation (2026012464) and generator monitoring were conducted at Swan at Lake Conway on . Deficiencies were identified at the time of the survey.	A 000		
A 030 SS=D	59A-36.007(5) FAC; 429.28( ) FS 429.27 Resident Care - Rights & Facility Procedures 59A-36.007 (5) RESIDENT RIGHTS AND FACILITY PROCEDURES. (a) A copy of the Resident Bill of Rights as described in Section 429.28, F.S., or a summary provided by the Long-Term Care Ombudsman Program must be posted in full view in a freely accessible resident area, and included in the admission package provided pursuant to Rule 59A-36.006, F.A.C. (b) In accordance with Section 429.28, F.S., the facility must have a written grievance procedure for receiving and responding to resident complaints and a written procedure to allow residents to recommend changes to facility policies and procedures. The facility must be able to demonstrate that such procedure is implemented upon receipt of a complaint. (c) The telephone number for lodging complaints against a facility or facility staff must be posted in full view in a common area accessible to all residents. The telephone numbers are: the Long-Term Care Ombudsman Program, 1(888)831-0404; , Rights Florida, 1(800)342-0823; the Agency Consumer Hotline 1(888)419-3456, and the statewide toll-free telephone number of the Florida Hotline, 1(800)96- or 1(800)962-2873. The telephone numbers must be posted in close proximity to a telephone accessible by residents and the text must be a minimum of 14-point font.	A 030		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 1 (d) The facility must have a written statement of its house rules and procedures that must be included in the admission package provided pursuant to Rule 59A-36.006, F.A.C. The rules and procedures must at a minimum address the facility's policies regarding: 1. Resident responsibilities; 2. and tobacco use; 3. Medication storage; 4. Resident elopement; 5. Reporting resident , neglect, and ; 6. Administrative and housekeeping schedules and requirements; 7. control, sanitation, and standard precautions; 8. The requirements for coordinating the delivery of services to residents by third party providers; 9. Assistive devices; and 10. Physical . (e) Residents may not be required to perform any work in the facility without compensation. Residents may be required to clean their own sleeping areas or apartments if the facility rules or the facility contract includes such a requirement. If a resident is employed by the facility, the resident must be compensated in compliance with state and federal wage laws. (f) The facility must provide residents with convenient access to a telephone to facilitate the resident's right to unrestricted and private communication, pursuant to Section 429.28(1)(d), F.S. The facility must allow unidentified telephone calls to residents. For facilities with a licensed capacity of 17 or more residents in which residents do not have private telephones, there must be, at a minimum, a readily accessible telephone on each floor of each building where residents reside.	A 030		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 2 429.28 Resident bill of rights.- (1) No resident of a facility shall be deprived of any civil or legal rights, benefits, or privileges guaranteed by law, the Constitution of the State of Florida, or the Constitution of the United States as a resident of a facility. Every resident of a facility shall have the right to: (a) Live in a safe and decent living environment, free from and neglect. (b) Be treated with consideration and respect and with due recognition of personal dignity, individuality, and the need for privacy. (c) Retain and use his or her own clothes and other personal property in his or her immediate living quarters, so as to maintain individuality and personal dignity, except when the facility can demonstrate that such would be unsafe, impractical, or an infringement upon the rights of other residents. (d) Unrestricted private communication, including receiving and sending unopened correspondence, access to a telephone, and visiting with any person of his or her choice, at any time between the hours of 9 a.m. and 9 p.m. at a minimum. Upon request, the facility shall make provisions to extend visiting hours for caregivers and out-of-town guests, and in other similar situations. (e) Freedom to participate in and benefit from community services and activities and to pursue the highest possible level of independence, autonomy, and interaction within the community. (f) Manage his or her financial affairs unless the resident or, if applicable, the resident's representative, designee, surrogate, guardian, or attorney in fact authorizes the administrator of the facility to provide safekeeping for funds as provided in s. 429.27.	A 030		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 3 (g) Share a room with his or her spouse if both are residents of the facility. (h) Reasonable opportunity for regular exercise several times a week and to be outdoors at regular and frequent intervals except when prevented by inclement weather. (i) Exercise civil and religious liberties, including the right to independent personal decisions. No religious beliefs or practices, nor any attendance at religious services, shall be imposed upon any resident. (j) Assistance with obtaining access to adequate and appropriate health care. For purposes of this paragraph, the term "adequate and appropriate health care" means the management of medications, assistance in making , , for health care services, the provision of or arrangement of transportation to health care , , , and the performance of health care services in accordance with s. 429.255 which are consistent with established and recognized standards within the community. (k) At least 45 days' notice of relocation or termination of residency from the facility unless, for medical reasons, the resident is certified by a physician to require an emergency relocation to a facility providing a more skilled level of care or the resident engages in a pattern of conduct that is harmful or offensive to other residents. In the case of a resident who has been adjudicated mentally , , the guardian shall be given at least 45 days' notice of a nonemergency relocation or residency termination. Reasons for relocation must be set forth in writing and provided to the resident or the resident's legal representative. The notice must state that the resident may contact the State Long-Term Care Ombudsman Program for assistance with relocation and must include the statewide toll-free	A 030		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 4 telephone number of the program. In order for a facility to terminate the residency of an individual without notice as provided herein, the facility shall show good cause in a court of competent jurisdiction. (l) Present grievances and recommend changes in policies, procedures, and services to the staff of the facility, governing officials, or any other person without , interference, coercion, discrimination, or reprisal. Each facility shall establish a grievance procedure to facilitate the residents' exercise of this right. This right includes access to ombudsman volunteers and advocates and the right to be a member of, to be active in, and to associate with advocacy or special interest groups. (2) The administrator of a facility shall ensure that a written notice of the rights, , and prohibitions set forth in this part is posted in a prominent place in each facility and read or explained to residents who cannot read. The notice must include the statewide toll-free telephone number and e-mail address of the State Long-Term Care Ombudsman Program and the telephone number of the local ombudsman council, the Elder Hotline operated by the Department of Children and Families, and, if applicable, , Rights Florida, where complaints may be lodged. The notice must state that a complaint made to the Office of State Long-Term Care Ombudsman or a local long-term care ombudsman council, the names and identities of the residents involved in the complaint, and the identity of complainants are kept confidential pursuant to s. 400.0077 and that retaliatory action cannot be taken against a resident for presenting grievances or for exercising any other resident right. The facility must ensure a resident's access to a telephone to	A 030		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 5 call the State Long-Term Care Ombudsman Program or local ombudsman council, the Elder Hotline operated by the Department of Children and Families, and , Rights Florida. 429.27 Property and personal affairs of residents.- (1)(a) A resident shall be given the option of using his or her own belongings, as space permits; choosing his or her roommate; and, whenever possible, unless the resident is adjudicated , or , under state law, managing his or her own affairs. (b) The admission of a resident to a facility and his or her presence therein shall not confer on the facility or its owner, administrator, employees, or representatives any authority to manage, use, or dispose of any property of the resident; nor shall such admission or presence confer on any of such persons any authority or responsibility for the personal affairs of the resident, except that which may be necessary for the safe management of the facility or for the safety of the resident. This Statute or Rule is not met as evidenced by: Based on interview and record review, the facility failed to issue an appropriate discharge notice to 1 of 2 sampled residents (#4). Findings: Review of Resident #4's record revealed a facility admission date of . Review of the Resident's health assessment form (1823,) dated , showed a medical history	A 030		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 6 of and acute , , , . The form documented the Resident and was an elopement risk. A facility note, dated , showed the Resident was very . The facility's discharge log revealed the Resident was sent to a hospital then discharged from the facility on due to "hard communication". The Resident's record did not have documentation to show the Resident was issued a 45-day discharge notice. On at 10:54 AM, caregiver A said the Resident was sent to a hospital on because his were and he did not keep them elevated. The caregiver said she told someone at the hospital that it was not safe for the Resident to return to the facility because he tried to jump the fence on , he walked around and only sat down to eat or take medication, his were , and he spoke and understood only Spanish which caused the inability for staff to communicate with him. The caregiver said that on an ambulance returned the Resident to the facility at which time the Caregiver refused the transporters to bring the Resident inside. The caregiver said she did not see or speak with the Resident before he was initially accepted for admission to the facility. The caregiver said she realized when the Resident moved in that there was a language barrier. The caregiver said she did not know the 1823 form documented that the Resident and was an elopement risk. The caregiver said a 45-day discharge notice was not given before sending the Resident to the hospital because she did not know who to give the notice to. The caregiver	A 030		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 030	Continued From page 7 said the Resident's family member accompanied him when he moved in and had not returned. The caregiver said she did not get the family member's name and contact information. The caregiver said she believed that if 45 days were given, the Resident's ␣ would worsen within that time frame. The caregiver said steps were not taken to find alternate placement for the Resident because the caregiver did not have access to other facilities. The caregiver confirmed that none of what she reported during the interview was documented in the Resident's record and no documentation that a health care provider was notified. On at 11:28 AM, the Administrator said the facility was told the Resident was bilingual and he was not and the staff could not communicate with him. The Administrator said the staff called him at times to translate for them. The Administrator said the language barrier was the main reason the facility could not meet his needs. The Administrator said he did not see the 1823 form and never saw the Resident. The Administrator said that after he spoke with caregiver A, he determined the Resident was not a good fit due to the language barrier. The facility's undated admission policy read that a Resident must be able to communicate their needs. Class III	A 030		
A 077 SS=D	429.176 FS; 429.52( ),59A-36.01(1) FAC Staffing Standards - Administrators 429.176 Notice of change of administrator.-If, during the period for which a license is issued,	A 077		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 077	Continued From page 8 the owner changes administrators, the owner must notify the agency of the change within 10 days and provide documentation within 90 days that the new administrator meets educational requirements and has completed the applicable core educational requirements under s. 429.52. A facility may not be operated for more than 120 consecutive days without an administrator who has completed the core educational requirements. 429.52 (4) A facility administrator must complete the required core training, including the competency test, within 90 days after the date of employment as an administrator. Failure to do so is a violation of this part and subjects the violator to an administrative fine as prescribed in s. 429.19. Administrators licensed in accordance with part II of chapter 468 are exempt from this requirement. Other licensed professionals may be exempted, as determined by the agency by rule. (5) Administrators are required to participate in continuing education for a minimum of 12 contact hours every 2 years. 59A-36.010 (1) ADMINISTRATORS. Every facility must be under the supervision of an administrator who is responsible for the operation and maintenance of the facility including the management of all staff and the provision of appropriate care to all residents as required by chapters 408, part II, 429, part I, F.S., and rule chapter 59A-35, F.A.C., and this rule chapter. (a) An administrator must: 1. Be at least , ; 2. If employed on or after , have, at a minimum, a high school diploma or	A 077		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 077	Continued From page 9 G.E.D.; 3. Be in compliance with Level 2 background screening requirements pursuant to sections 408.809 and 429.174, F.S.; 4. Complete the core training and core competency test requirements pursuant to rule 59A-36.011, F.A.C., no later than 90 days after becoming employed as a facility administrator. Administrators who attended core training prior to , , , are not required to take the competency test unless specified elsewhere in this rule; and, 5. Satisfy the continuing education requirements pursuant to rule 59A-36.011, F.A.C. Administrators who are not in compliance with these requirements must retake the core training and core competency test requirements in effect on the date the non-compliance is discovered by the agency or the department. (b) In the event of extenuating circumstances, such as the of a facility administrator, the agency may permit an individual who otherwise has not satisfied the training requirements of subparagraph (1)(a)4. of this rule, to temporarily serve as the facility administrator for a period not to exceed 90 days. During the 90 day period, the individual temporarily serving as facility administrator must: 1. Complete the core training and core competency test requirements pursuant to rule 59A-36.011, F.A.C.; and, 2. Complete all additional training requirements if the facility maintains licensure as an extended congregate care or limited mental health facility. (c) Administrators may supervise a maximum of either three assisted living facilities or a group of facilities on a single campus providing housing and health care Administrators who supervise more than one facility must appoint in writing a	A 077		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 077	Continued From page 10 separate manager for each facility. However, an administrator supervising a maximum of three assisted living facilities, each licensed for 16 or fewer beds and all within a 15 mile of each other, is only required to appoint two managers to assist in the operation and maintenance of those facilities. (d) An individual serving as a manager must satisfy the same qualifications, background screening, core training and competency test requirements, and continuing education requirements as an administrator pursuant to paragraph (1)(a) of this rule. Managers who attended the core training program prior to , , are not required to take the competency test unless specified elsewhere in this rule. In addition, a manager may not serve as a manager of more than a single facility, except as provided in paragraph (1)(c) of this rule, and may not , serve as an administrator of any other facility. (e) Pursuant to section 429.176, F.S., facility owners must notify the Agency Central Office within 10 days of a change in facility administrator on the Notification of Change of Administrator form, AHCA Form 3180-1006, , which is incorporated by reference and available online at: http://www.flrules.org/Gateway/reference.asp?No=Ref-09393. This Statute or Rule is not met as evidenced by: Based on interview and record review, the facility failed to appoint a manager when its Administrator supervised three assisted living facilities. Findings:	A 077		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 077	Continued From page 11 On at 3:25 PM, a review of the Florida health finder website revealed the facility's Administrator supervised two additional assisted living facilities. The two other facilities were approximately 5 miles from each other and those two were approximately 20 miles away from this facility. On at 3:28 PM, the Administrator confirmed he was the Administrator of the three facilities. He said caregiver A was the appointed manager of this facility, however, review of caregiver A's record revealed she did not have core training and competency test requirements. Class III	A 077		
A 200 SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power.	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 12 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in Section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 13	A 200		

event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment.
a. An assisted living facility in an evacuation zone pursuant to Chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary.
b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan.
c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage.
(b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 14 storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to Section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (b) Each existing assisted living facility that undergoes any additions, modifications,	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 15 alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the county emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within 30 days of the approval of the plan from the county emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration to assistedliving@ahca.myflorida.com. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the county emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than . , have implemented the plan required under this rule.	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 16 (b) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (c) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of , and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 17 makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by Chapter 429, Part I, or Chapter 408, Part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 18 legal representative: 1. Upon the initial submission of the plan to the county emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. 3. Annual submissions and approvals of the plan do not require notification to residents or their legal representatives unless a significant modification as defined in Rule 59A-36.019, F.A.C., has been made to the plan. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on observation, interview, and record review, the facility failed to ensure its emergency environmental control plan (EECP) accurately depicted what part of the facility would be cooled, failed to ensure its portable generator worked, and failed to ensure the plan was followed when the portable generator onsite was not the one shown in the plan and when an air-evaporator cooler was not available onsite. Findings: Review of the facility's EECP revealed it was last approved by the county emergency management agency on .	A 200		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	AL11969883	A. BUILDING: _____ B. WING _____	08/24/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
SWAN AT LAKE CONWAY ALF	3714 ST MORTIZ ST ORLANDO, FL 32812

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 19 The plan showed the alternate power source was a 10,000-watt dual fuel portable generator, the cooling method would include an air-evaporator cooler, and the cooled areas would be the living room, staff quarters, and dining room. The plan showed the generator would be exercised one time each month for 30 minutes. The last time it was tested was on . On at 1:30 PM, a 13,000-watt portable generator was seen. Caregiver A attempted to start the generator without success. The caregiver said she did not know why it would not start. The caregiver said the generator was purchased during . The caregiver said the generator would power the heating, , and air conditioning (HVAC) system for the entire facility in the event of a power outage and said the facility did not have an air-evaporator cooler. On at 1:43 PM, the Administrator said the generator would power the HVAC system in the event of a power outage and cool the entire facility. Class III	A 200		