

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953679	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 06/29/2012
NAME OF PROVIDER OR SUPPLIER SAVANNAH GRAND OF SARASOTA			STREET ADDRESS, CITY, STATE, ZIP CODE 7130 BENEVA ROAD SARASOTA, FL 34238		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
(A 000)	Initial Comments This is the follow-up to the Biennial survey conducted at Savannah Grand of Sarasota, an Assisted Living Facility on 5/21/12 through 5/22/12. This follow-up was completed by desk review on 6/29/12. The citation cited at the Biennial survey was cleared effective 6/20/12 by this desk review.	(A 000)			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

5020

BKM912

If continuation sheet 1 of 1

6/29/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11953679	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 6/29/2012
---	--	-----------------------------------

Name of Facility

SAVANNAH GRAND OF SARASOTA

Street Address, City, State, Zip Code

7130 BENEVA ROAD
SARASOTA, FL 34238

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0030	Correction Completed 06/20/2012	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # 58A-5.0182(6) FAC: 429.28		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	

Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
State Agency	<i>[Signature]</i>	6-29-12	<i>[Signature]</i>	6-29-12
Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on:

5/22/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

June 29, 2012

Administrator
Savannah Grand Of Sarasota
7130 Beneva Road
Sarasota, FL 34238

Dear Administrator:

This letter reports the findings of a desk review conducted on June 29, 2012 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (239) 335-1315.

Sincerely,

Harold D. Williams
Field Office Manager

bw
Enclosure

