

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942761	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED R
NAME OF PROVIDER OR SUPPLIER SAN JUDAS TADEO ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1620 SW 97 AVENUE MIAMI, FL 33165		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 000}	Initial Comments A follow up biennial survey was conducted on S 2012. San Judas Tadeo Assisted Living Facility (ALF) with Limited Mental Health (LMH) and Limited Nursing Services (LNS) components had the following new deficiency.	{A 000}		
A 160 SS=D	58A-5.024(1) FAC Records - Facility Records. The facility shall maintain the following written records in a form, place and system ordinarily employed in good business practice and accessible to Department of Elder Affairs and Agency staff. (1) FACILITY RECORDS. Facility records shall include: (a) The facility 's license which shall be displayed in a conspicuous and public place within the facility. (b) An up-to-date admission and discharge log listing the names of all residents and each resident ' s: 1. Date of admission, the place from which the resident was admitted, and if applicable, a notation the resident was admitted with a pressure ; and 2. Date of discharge, the reason for discharge, and the identification of the facility to which the resident is discharged or home address, or if the person is , the date of Readmission of a resident to the facility after discharge requires a new entry. Discharge of a resident is not required if the facility is holding a bed for a resident who is out of the facility but intends to return pursuant to Rule 58A-5.025, F.A.C. (c) A log listing the names of all temporary emergency placement and respite care residents if not included on the log described in paragraph	A 160		

AHCA Form 3020-0001

TITLE

(X8) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

9099

FU4512

If continuation sheet 1 of 4

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942761	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R
NAME OF PROVIDER OR SUPPLIER SAN JUDAS TADEO ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1620 SW 97 AVENUE MIAMI, FL 33165		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 160	Continued From page 1 (b). (d) An up-to-date record of major incidents occurring within the last 2 years. Such record shall contain a clear description of each incident; the time, place, names of individuals involved; witnesses; nature of injuries; cause if known; action taken; a description of medical or other services provided; by whom such services were provided; and any steps taken to prevent recurrence. These reports shall be made by the individuals having first hand knowledge of the incidents, including paid staff, volunteer staff, emergency and temporary staff, and student interns. (e) The facility's emergency management plan, with documentation of review and approval by the county emergency management agency, as described under Rule 58A-5.026, F.A.C., which shall be located where immediate access by facility staff is assured. (f) Documentation of radon testing conducted pursuant to Rule 58A-5.023, F.A.C.; (g) The facility's liability insurance policy required under Rule 58A-5.021, F.A.C.; (h) For facilities which have a surety bond, a copy of the surety bond currently in effect as required by Rule 58A-5.021, F.A.C. (i) The admission package presented to new or prospective residents (less the resident's contract) described in Rule 58A-5.0182, F.A.C. (j) If the facility advertises that it provides special care for persons with _____ or related _____, a copy of all such facility advertisements as required by Section 429.177, F.S. (k) A grievance procedure for receiving and responding to resident complaints and recommendations as described in Rule 58A-5.0182, F.A.C. (l) All food service records required under Rule	A 160			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942761	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R
NAME OF PROVIDER OR SUPPLIER SAN JUDAS TADEO ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1620 SW 97 AVENUE MIAMI, FL 33165		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 160	Continued From page 2 58A-5.020, F.A.C., including menus planned and served; county health department inspection reports; and for facilities which contract for catered food services, a copy of the contract for catered services and the caterer's license or certificate to operate. (m) All fire safety inspection reports issued by the local authority or the State Fire Marshal pursuant to Section 429.41, F.S., and Rule Chapter 69A-40, F.A.C., issued within the last two (2) years. (n) All sanitation inspection reports issued by the county health department pursuant to Section 381.031, F.S., and Chapter 64E-12, F.A.C., issued within the last 2 years. (o) Pursuant to Section 429.35, F.S., all completed survey, inspection and complaint investigation reports, and notices of sanctions and moratoriums issued by the agency within the last 5 years. (p) Additional facility records requirements for facilities holding a limited mental health, extended congregate care, or limited nursing services license are provided in Rules 58A-5.029, 58A-5.030 and 58A-5.031, F.A.C., respectively. (q) The facility's resident elopement response policies and procedures. (r) The facility's documented resident elopement response drills. This Statute or Rule is not met as evidenced by: Based on record review and interview the facility failed to have proof of an annual Fire inspection. Based on record review and interview the facility failed to have an emergency management plan approved by the county emergency management agency.	A 160			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942761	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R
NAME OF PROVIDER OR SUPPLIER SAN JUDAS TADEO ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1620 SW 97 AVENUE MIAMI, FL 33165		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 160	Continued From page 3 Findings as follow: Record review documented the facility last fire inspection was dated On at about 12:00 noon the facility administrator stated the facility failed to have an annual fire inspection performed by the local authority. Record review documented the facility failed to have an emergency management plan approved by the county management plan agency available for review. On at about 12:00 p.m. the facility administrator stated the facility failed to have an annual fire inspection. The facility administrator also stated the last fire inspection made to facility was on The facility administrator stated had no the emergency management plan approval available for review. Class III	A 160			

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11942761	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 8/2/2012
---	--	----------------------------------

Name of Facility SAN JUDAS TADEO ALF	Street Address, City, State, Zip Code 1620 SW 97 AVENUE MIAMI, FL 33165
---	---

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0008</u> Reg. # <u>58A-5.0181(2) FAC</u> LSC _____	Correction Completed	ID Prefix <u>A0026</u> Reg. # <u>58A-5.0182(2) FAC</u> LSC _____	Correction Completed	ID Prefix <u>A0079</u> Reg. # <u>58A-5.019(4) FAC</u> LSC _____	Correction Completed
ID Prefix <u>A0093</u> Reg. # <u>58A-5.020(2) FAC</u> LSC _____	Correction Completed	ID Prefix <u>A0152</u> Reg. # <u>58A-5.023(3) FAC</u> LSC _____	Correction Completed	ID Prefix <u>A0167</u> Reg. # <u>58A-5.025(1) FAC</u> LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By _____	Date: _____	Signature of Surveyor: 	Date: <u>8/13/2017</u>
Reviewed By _____ CMS RO	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: _____

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



Better Health Care for all Floridians

RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

_____, 2012

Administrator
San Judas Tadeo Alf
1620 Sw 97 Avenue
Miami, FL 33165

Dear Administrator:

This letter reports the findings of a revisit survey conducted on _____, 2012 by representative(s) of this office. Enclosed is the provider's copy of the Statement of Deficiencies and Plan of Correction (State Form 3020), which references the uncorrected deficiencies and/or new deficiencies, identified during the revisit.

You will not receive a copy of this report in the mail; you will only receive this faxed report. **All deficiencies shall be corrected no later than _____, 2012.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (305) 593-3100.

Sincerely,

for Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

BBT7

