State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number	(Y2) Multiple Construction	(Y3) Date of Revisit
AL11967802	A. Building B. Wing	1/24/2013

Name of Facility	Street Address, City, State, Zip Code
WINDSOR OF PALM COAST	50 TOWN COURT PALM COAST, FL 32164

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0025 Reg. # 58A-5.0182(1) FAC LSC	Correction Completed 01/24/2013	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By State Agency	Reviewed By	Date: 1/24/13	Signature of Surveyor:	Date:
Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 1/22/2013

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO

RICK SCOTT
GOVERNOR

AHCA
FLORIDA AGENCY FOR HEALTH CARE ADMINISTRATION

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

January 24, 2013

Administrator
Windsor Of Palm Coast
50 Town Court
Palm Coast, FL 32164

Dear Administrator:

This letter reports the findings of a state licensure desk review conducted on January 24, 2013 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at http://ahca.myflorida.com/Publications/Forms.shtml as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Keisha Wood

Keisha Wood, MPH
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

KW/sm
Enclosure

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
http://ahca.myflorida.com

Jacksonville Field Office
921 N. Davis St., Bldg. A, Suite 115
Jacksonville, FL 32209
Phone (904) 798-4201; Fax (904) 359-6054