

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953584	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 04/22/2013
NAME OF PROVIDER OR SUPPLIER FOUNTAINS OF MELBOURNE			STREET ADDRESS, CITY, STATE, ZIP CODE 4451 STACK BLVD MELBOURNE, FL 32901		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments 4/22/2013 Limited Nursing Services (LNS) monitoring conducted. The facility had no deficiencies found during the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6809

TLFO11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 2, 2013

Administrator
Fountains Of Melbourne
4451 Stack Blvd
Melbourne, FL 32901

Re: LNS monitoring


Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on April 22, 2013 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,



Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

