

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 08/26/2013
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11911395	(X3) DATE SURVEY COMPLETED 08/08/2013
NAME OF PROVIDER OR SUPPLIER Residential Plaza At Blue Lagoon	STREET ADDRESS, CITY, STATE, ZIP CODE 5617 Nw 7 Street Miami, FL 33126	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0030-Resident Care - Rights & Facility Procedures-08/08/2013

0052-Medication - Assistance With Self-Admin-08/08/2013

Specific Tag Findings:

0000-Initial Comments

A Follow up Survey to a Limited Nursing Service monitoring was conducted on August 07, 2013 and August 08, 2013. Residential Plaza at Blue Lagoon had no deficiencies found at the time of the survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

August 28, 2013

Administrator
Residential Plaza At Blue Lagoon
5617 Nw 7 Street
Miami, FL 33126

Dear Administrator:

This letter reports the findings of a state Limited Nursing Services (LNS) Monitoring revisit survey conducted on August 8, 2013 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

DT9D

