

AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 10/11/2013
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11966525	(X3) DATE SURVEY COMPLETED 10/10/2013
NAME OF PROVIDER OR SUPPLIER Royal Destiny Home Care Llc	STREET ADDRESS, CITY, STATE, ZIP CODE 3260 Nw 179 Street Carol City, FL 33056	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0030-Resident Care - Rights & Facility Procedures-10/10/2013

0078-Staffing Standards - Staff-10/10/2013

Revisit Repeat Tags:

Revisit New Tags:

Specific Tag Findings:

0000-Initial Comments

A follow up Complaint (#2013003123) Survey was completed on 10-10-13at Royal Destiny Home Care Llc. The previous deficiencies were corrected at time of survey.



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

October 15, 2013

Administrator
Royal Destiny Home Care Llc
3260 Nw 179 Street
Carol City, FL 33056

CCR#2013003123 f/u

Dear Administrator:

This letter reports the findings of a state complaint revisit survey conducted on October 10, 2013 by representative(s) of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

DT9D

