



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

February 3, 2014

Administrator
Emeritus at Ocala West
9070 SW 80th Avenue
Ocala, FL 34481

Re: CCR #2013012157

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on January 6, 2014 by a representative of this office. Enclosed is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,

Kriste J. Mennella
Field Office Manager

KJM/amw

Enclosure



AGENCY FOR HEALTH CARE
ADMINISTRATION

PRINTED: 02/03/2014
FORM APPROVED

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER: AL11964969	(X3) DATE SURVEY COMPLETED 01/06/2014
NAME OF PROVIDER OR SUPPLIER Emeritus At Ocala West	STREET ADDRESS, CITY, STATE, ZIP CODE 9070 Sw 80th Ave Ocala, FL 34481	
SUMMARY STATEMENT OF DEFICIENCIES (FINDINGS PRECEDED BY TAG AND REGULATORY IDENTIFYING INFORMATION)		

Revisit Corrected Tags:

0030-Resident Care - Rights & Facility Procedures-01/06/2014

0076-Do Not Resuscitate Orders (dnros)-01/06/2014

0000-Initial Comments

An unannounced follow-up to CCR 2013012157 was conducted at Emeritus at Ocala West on 1/6/2014. No deficiencies were identified during the survey. Previously cited deficiencies were cleared.