

12/16/2015

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964980	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 10/5/2015
Name of Facility BROOKDALE ORANGE PARK		Street Address, City, State, Zip Code 1248 KINGSLEY AVENUE ORANGE PARK, FL 32073

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0081</u> Reg. # <u>58A-5.0191(2) FAC</u> LSC <u></u>	Correction Completed 12/16/2015	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed
ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed
ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed
ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed
ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed
ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed	ID Prefix <u></u> Reg. # <u></u> LSC <u></u>	Correction Completed

Reviewed By <u></u>	Reviewed By <u></u>	Date: <u></u>	Signature of Surveyor: <u><i>Sandra Mejia</i></u>	Date: <u>12/16/15</u>
State Agency <u></u>	Reviewed By <u></u>	Date: <u></u>	Signature of Surveyor: <u></u>	Date: <u></u>
Reviewed By <u></u>	Reviewed By <u></u>	Date: <u></u>	Signature of Surveyor: <u></u>	Date: <u></u>
CMS RO				

Followup to Survey Completed on:

9/2/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

December 16, 2015

Administrator
Brookdale Orange Park
1248 Kingsley Avenue
Orange Park, FL 32073

Re: File #2015004249

Dear Administrator:

This letter reports the findings of a state licensure desk review conducted on October 5, 2015 by representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,

Jana Meyering, QIDP
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

JM/sm
Enclosure

DT9D

