



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

May 5, 2016

Administrator
St Augustine Plantation
2507 Old St. Augustine Road
Tallahassee, FL 32301

RE: ECC Monitoring


Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on April 28, 2016 by a representative of this office. Attached is the provider's copy of the State (5000-3547) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,


Donah Heiberg
Field Office Manager

DH/dh
Enclosure

1GGN

Tallahassee Field Office
2727 Mahan Drive, Mail Stop #46
Tallahassee, FL 32308
Phone: 850-412-4540; Fax: (850) 922-9162
AHCA.MyFlorida.com



Facebook.com/AHCAFlorida
Youtube.com/AHCAFlorida
Twitter.com/AHCA_FL
SlideShare.net/AHCAFlorida

**AGENCY FOR HEALTH CARE
ADMINISTRATION**

**PRINTED: 05/05/2016
FORM APPROVED**

STATEMENT OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964654	(X3) DATE SURVEY COMPLETED 04/28/2016
NAME OF PROVIDER OR SUPPLIER ST AUGUSTINE PLANTATION	STREET ADDRESS, CITY, STATE, ZIP CODE 2507 OLD ST. AUGUSTINE ROAD TALLAHASSEE, FL 32301	

**SUMMARY STATEMENT OF DEFICIENCIES
(FINDINGS PRECEDED BY TAGS AND REGULATORY IDENTIFYING INFORMATION)**

0000 Initial Comments

An unannounced Extended Congregate Care Monitoring was conducted at St. Augustine Plantation Assisted Living Facility. At the time of the monitoring there were no deficiencies identified.