

STATE FORM: REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER AL11965032	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 6/13/2016
NAME OF FACILITY PAVILION AT BAYVIEW (THE)	STREET ADDRESS, CITY, STATE, ZIP CODE 161 B MARINE STREET SAINT AUGUSTINE, FL 32084	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix A0008	Correction	ID Prefix A0052	Correction	ID Prefix A0053	Correction
Reg. # 429.26(4-6) FS; 58A-5.0181(2) FAC	Completed	Reg. # 58A-5.0185 (3)	Completed	Reg. # 58A-5.0185(4) FAC	Completed
LSC	06/13/2016	LSC	06/13/2016	LSC	06/13/2016
ID Prefix A0078	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 58A-5.019(2) FAC	Completed	Reg. #	Completed	Reg. #	Completed
LSC	06/13/2016	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY ☐	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR <i>Began Lynch, RNC for Jane Mayering QIDP</i>	DATE 6/20/16
REVIEWED BY CMS RO ☐	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 4/4/2016

☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

June 20, 2016

Administrator
The Pavilion At Bayview
161 B Marine Street
Saint Augustine, FL 32084

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on June 13, 2016 by a representative of this office.

Attached is the provider's copy of the State Form (5000-3547), which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (904) 798-4201.

Sincerely,


Jana Meyering, QIDP
 Health Facility Evaluator Supervisor
Division of Health Quality Assurance

RS/JM/sm
Enclosure

DT90

