Electronically Delivered

October 21, 2026

Licensee
Central Minnesota Senior Care
315 6th Street Southwest
Little Falls, MN 56345

RE: Project Number(s) SL20317016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on September 10, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;
Level 3: a fine of $1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of $3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 5: a fine of $5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - $500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating

factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Jessie Chenze

Jessie Chenze, Supervisor
State Evaluation Team
Email: jessie.chenze@state.mn.us
Telephone: 218-332-5175 Fax: 1-866-890-9290

JMD

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	20317	A. BUILDING: _____ B. WING _____	09/10/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CENTRAL MINNESOTA SENIOR CARE	320-632-2996 LITTLE FALLS, MN 56345

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL20317016-0 On September 8, 2026 through September 10, 2026 the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were six resident(s); six receiving services under the Assisted Living Facility license.	0 000	numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute oMinnesota Department of Health is documenting the State Correction Orders using federal software. Tag ut of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES.	
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	20317	A. BUILDING: _____ B. WING _____	09/10/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CENTRAL MINNESOTA SENIOR CARE	320-632-2996 LITTLE FALLS, MN 56345

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 1 assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to develop a written emergency preparedness plan (EPP) with all the required content defined in Appendix Z. This had the potential to affect residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include:	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	20317	A. BUILDING: _____ B. WING _____	09/10/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CENTRAL MINNESOTA SENIOR CARE	320-632-2996 LITTLE FALLS, MN 56345

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 2 During the entrance conference on September 8, 2026, at 12:45 p.m., licensed assisted living director (LALD)-A and clinical nurse supervisor (CNS)-B stated the licensee was familiar with current minimum assisted living requirements. The licensee's undated EPP lacked the following required content: - EPP specific to licensee (EPP referred to the licensee's other licensed location in many instances); - participate in an annual full-scale exercise that is community based or conduct an annual, individual, facility-based functional exercise or if the facility experiences an actual emergency requiring activation of the plan, the facility is exempt from engaging in its next required full-scale exercise; - updated LALD-A's contact information required on the EPP. On September 9, 2026, at 3:00 p.m., LALD-A stated she was in the process of updating the licensee's EPP and trying to understand all the requirements of the EPP. LALD-A stated they had participated in a community wide drill, but did not provide documentation of the event. The licensee's undated 4659.0100 Emergency Disaster and Preparedness Plan - Appendix Z, indicated (licensee name) EPP will include all required elements of appendix Z. In addition, (licensee name) will conduct, at a minimum, two EPP drills including an annual full-scale exercise every 12 months- these drills to not include required fire/evacuation drills [sic]. Per Assisted Living Facilities: Minnesota Rules Chapter 4659.0100, sections A and B, effective October 2022, assisted living facilities shall	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	20317	A. BUILDING: _____ B. WING _____	09/10/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CENTRAL MINNESOTA SENIOR CARE	320-632-2996 LITTLE FALLS, MN 56345

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 3 comply with the federal emergency preparedness regulations for long-term care facilities under Code of Federal Regulations, title 42, section 483.73, or successor requirements. This part references documents, specifications, methods, and standards in "State Operations Manual Appendix Z - Emergency Preparedness for All Providers and Certified Supplier Types: Interpretive Guidance," which is incorporated by reference. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680		
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to	0 775		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	20317	A. BUILDING: _____ B. WING _____	09/10/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
CENTRAL MINNESOTA SENIOR CARE	320-632-2996 LITTLE FALLS, MN 56345

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 775	Continued From page 4 affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated September 9, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 775		

St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

Central MN Senior Care
315 6th St SW
Little Falls, MN 56345
Morisson County
Parcel:

Phone:

License Info

License: HFID 20317

Risk:
License:
Expires on:
CFPM: Jennie Bird
CFPM #: 57634; Exp: 4.29.2026

Inspection Info

Report Number: F1017261186
Inspection Type: Full - Single
Date: 9/8/2026 Time: 12:20:00 PM
Duration: minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

No orders were issued for this inspection report.

Food & Beverage General Comment

DISCUSSION:

AVOID BARE HAND CONTACT WITH READY TO EAT FOOD, HAND WASHING, EMPLOYEE ILLNESS LOG, COOKING TEMPERATURE, FOOD SAFETY FOR PEOPLE WITH COMPROMISED IMMUNE SYSTEMS.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the St Cloud District Office inspection report number F1017261186 from 9/8/2026

Jennie Bird
Program Director

Nate Topp,
Public Health Sanitarian 2
320-223-7333
nate.topp@state.mn.us

St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301

Temperature Observations/Recordings

Establishment Info

Central MN Senior Care
Little Falls
County/Group: Morisson County

Inspection Info

Report Number: F1017261186
Inspection Type: Full
Date: 9/8/2026
Time: 12:20:00 PM

Food Temperature: Product/Item/Unit: CHICKEN SALAD**; Temperature Process:** Cold-Holding
Location: Upright Cooler at 43 Degrees F.
Comment:
Violation Issued?: No

Equipment Temperature: Product/Item/Unit: YOGURT FRIDGE BACK ROOM**; Temperature Process:** Ambient Air
Location: Upright Cooler at 40 Degrees F.
Comment:
Violation Issued?: No

St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301

Sanitizer Observations/Recordings

Establishment Info

Central MN Senior Care
Little Falls
County/Group: Morisson County

Inspection Info

Report Number: F1017261186
Inspection Type: Full
Date: 9/8/2026
Time: 12:20:00 PM

Sanitizing Equipment: **Product:** Hot Water**; Sanitizing Process:** Dish Machine
Location: Kitchen **Equal To** 170 Degrees F.
Comment:
Violation Issued?: No

Minnesota (MDH) Version
EH Manager; RPT: F1017261186

Food Establishment Inspection Report

St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301

No. of Risk Factor/Intervention/Violations	0	Date: 9/8/2026
No. of Repeat Risk Factor/Intervention/Violations		Time: 12:20 PM
Score (optional)		Dur: min

Establishment:	Address:	City/State:	Zip:	Phone:
Central MN Senior Care	315 6th St SW	Little Falls, MN	56345	
License/Permit #:	**Permit Holder:**	**Purpose of Inspection:**	**Est. Type:**	**Risk Category:**
HFID 20317		Full		

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Designated compliance status (IN, OUT, N/O, N/A) for each numbered item

IN=in compliance **OUT**=not in compliance **N/O**=not observed **N/A**=not applicable

Mark "X" in appropriate box for COS and/or R

COS=corrected on-site during inspection **R**=repeat violation

	Compliance Status		COS	R
	Supervision			
1	IN	Person in charge present, demonstrate knowledge and performs duties		
2	IN	Certified Food Protection Manager		
	Employee Health			
3	IN	knowledge, responsibiities, and reporting		
4	IN	Proper use of restriction and exclusion		
5	IN	Response to vomiting, diarrheal events		
	Good Hygienic Practices			
6	N/O	Proper eating, tasting, drinking, tobacco use		
7	N/O	No discharge from eyes, nose, and mouth		
	Preventing Contamination by Hands			
8	IN	Hands clean and properly washed		
9	IN	No bare hand contact with RTE foods, alternatives		
10	IN	Adequate handwashing sinks supplied and access		
	Approved Source			
11	IN	Food obtained from approved source		
12	N/O	Food Received at proper temperature		
13	IN	Food in good condition, safe & unadulterated		
14	N/A	Records available: shellstock tags, parasite dest.		
	Protection From Contamination			
15	IN	Food separated and protected		
16	IN	Food-contact surfaces; cleaned & sanitized		
17	IN	Proper Disposition of returned, previously served, reconditioned,& unsafe food		

	Compliance Status		COS	R
	Time/Temperature Control for Safety			
18	N/O	Proper cooking time & temperatures		
19	N/O	Proper reheating procedures for hot holding		
20	N/O	Proper cooling time and temperature		
21	N/O	Proper hot holding temperatures		
22	IN	Proper cold holding temperatures		
23	IN	Proper date marking & disposition		
24	N/O	Time as public health control;procedures & record		
	Consumer Advisory			
25	N/A	Consumer advisory provided for raw or undercooked foods		
	Highly Susceptible Populations			
26	N/A	Pasteurized foods used; prohibited foods not offered		
	Food/Color Additives and Toxic Substances			
27	N/A	Food additives; approved & properly used		
28	N/A	Toxic substances properly identified;stored;used		
	Conformance with Approved Procedures			
29	N/A	Compliance with variance, specialized processes & HACCP plan		

Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Mark "X" or OUT in box if numbered item is **not** in compliance Mark "X" in appropriate box for COS and/or R **COS**=corrected on-site during inspection **R**=repeat violation

			COS	R
		Safe Food and Water		
30	N/A	Pasteurized eggs used where required		
31		Water & ice from approved source		
32	N/A	Variance obtained for specialized processing methods		
		Food Temperature Control		
33		Proper cooling methods used; adequate equipment for temperature control		
34	N/O	Plant food properly cooked for hot holding		
35	N/O	Approved thawing methods used		
36		Thermometers provided & accurate		
		Food Identification		
37		Food properly labeled; original container		
		Prevention of Food Contamination		
38		Insects, rodents, & animals not present; no unauthorized person		
39		Contamination prevented during food prep, storage, & display		
40		Personal cleanliness		
41		Wiping cloths: properly used & stored		
42		Washing fruits & vegetables		

			COS	R
		Proper Use of Utensils		
43		In-use utensils; Properly stored		
44		Utensils, equipment & linens; properly stored, dried, handled		
45		Single-use & single-service articles, properly stored and used		
46		Gloves used properly		
		Utensils, Equipment and Vending		
47		Food & non-food contact surfaces cleanable, properly designed, constructed, & used		
48		Warewashing facilities: installed, maintained, used; test strips		
49		Non-food contact surfaces clean		
		Physical Facilities		
50		Hot & cold water available; adequate pressure		
51		Plumbing installed; proper backflow devices		
52		Sewage & waste water properly disposed		
53		Toilet facilities; properly constructed, supplied & cleaned		
54		Garbage & refuse properly disposed; facilities maintained		
55		Physical facilities installed, maintained & clean		
56		Adequate ventilation & lighting; designated areas used		
57		Compliance with MCIAA		
58		Compliance with licensing and plan review		

Person in Charge (signature)

Inspector (signature)

Follow-up: Follow-up Date:

DEPARTMENT OF HEALTH

Physical Environment Inspection Report

ASSISTED LIVING | ASSISTED LIVING WITH DEMENTIA CARE

Project No: SL20317016-0	**Date:** September 9, 2026
Facility Name: CENTRAL MINNESOTA SENIOR CARE	
Facility Address: 315 6th St SW, Little Falls, MN 56345	

☒ **TAG IDENTIFICATION: 0775**

SCOPE/ SEVERITY: Level 2; Widespread **TIME PERIOD OF CORRECTION:** Seven (7) days

1. Each assisted living facility must comply with the provisions of the Minnesota State Fire Code (MSFC) in Minnesota Rules chapter 7511. [Minn. Stat. 144G.45 subd. 2]

2. Fire doors shall be maintained to be self-closing and latch as designed. Fire doors shall not be blocked, obstructed, or otherwise made inoperable. [Minn. Stat. 144G.45 subd. 2; MSFC 705]

   Comments: Fire-rated door to the laundry room was found propped open with a garbage can. This prevented the door from self-closing during fire alarm activation, compromising its ability to function as a smoke and fire barrier. Staff removed the garbage can while the surveyor was on site. A separate fire-rated door that provided building separation was also found propped open.

3. A means of egress shall be free from obstructions that would prevent its use, including the accumulation of snow and ice. Means of egress shall remain free of any material or matter where its presence would obstruct or render the means of egress hazardous. No combustible material storage is allowed in the corridors or exit stairs. [Minn. Stat. 144G.45 subd. 2; MSFC 1031.3]

   Comments: Inside resident room three, the emergency egress window was partially blocked by the resident's recliner, which could impede safe evacuation in an emergency.