



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

August 24, 2026

Licensee
Everlasting Care Residence LLC
6231 Bloomington Ave
Richfield, MN 55423

RE: Project Number(s) SL41593015

Dear Licensee:

This is your **official notice** that you have been **granted your assisted living facility license**. Your license effective and expiration dates remain the same as on your provisional license. Your updated status will be listed on the license certificate at renewal and **this letter serves as proof** in the meantime. If you have not received a letter from us with information regarding renewing your license within 60 days prior to your expiration date, please contact us at (651) 201-5273 or by email at Health.assistedliving@state.mn.us.

The Minnesota Department of Health completed an initial survey on July 21, 2026, for the purpose assessing compliance with state licensing statutes. At the time of the survey, the Minnesota Department of Health noted violations of the laws pursuant to Minnesota Statute, Chapter 144G.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. The Department of Health documents state correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Home Care Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in

§ 144G.20;
Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - \$500.00

The total amount you are assessed is \$500.00. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

Per Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's residents/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by the Department of Health within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by MDH within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration or a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: <https://forms.office.com/g/Bm5uQEPhVa>. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

JMD

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL41593015-0 On July 20, 2026, through July 21, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were two residents; two receiving services under the Provisional Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators ' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated July 21, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated July 21, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01530	Continued From page 4	01530			
01530 SS=F	144G.64 (a) (1-2) Training in Dementia, Mental Illness, and De- (a) All assisted living facilities must meet the following dementia care, mental illness, and de-escalation training requirements: (1) supervisors of direct-care staff must have at least eight hours of initial training on dementia topics specified under paragraph (b), clauses (1) to (5), and two hours of initial training on mental illness and de-escalation topics specified under paragraph (b), clauses (6) to (8), within 120 working hours of the employment start date. Supervisors must have at least two hours of training on topics related to dementia and one hour of training on topics related to mental illness and de-escalation for each 12 months of employment thereafter; (2) direct-care staff must have completed at least eight hours of initial training on dementia topics specified under paragraph (b), clauses (1) to (5), and two hours of initial training on mental illness and de-escalation topics specified under paragraph (b), clauses (6) to (8), within 160 working hours of the employment start date. Until this initial training is complete, a staff member must not provide direct care unless there is another staff member on site who has completed the initial eight hours of training on topics related to dementia and the initial two hours of training on topics related to mental illness and de-escalation and who can act as a resource and assist if issues arise. A trainer of the requirements under paragraph (b) or a supervisor meeting the requirements in clause (1) must be available for consultation with the new staff member until the training requirement is complete. Direct-care staff must have at least two hours of training on topics related to dementia and one hour of training on	01530			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01530	Continued From page 5 topics related to mental illness and de-escalation for each 12 months of employment thereafter; This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure required mental health training was completed for two of two employees (owner (O)-A, unlicensed personnel (ULP)-C). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: O-A was hired on February 25, 2025, and provided assisted living services. ULP-C was hired on February 24, 2026, and provided assisted living services. On July 21, 2026, at 8:15 a.m., the surveyor observed ULP-C assist R2 with medication administration. O-A and ULP-C's employee records lacked evidence they completed the required 2 hours of initial training on mental illness and de-escalation, within 120 working hours of start date (supervisors) or 160 working hours of start date (direct-care staff), to include the following topics:	01530			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01530	Continued From page 6 -recognizing symptoms of common mental illness diagnoses, including but not limited to mood disorders, anxiety disorders, trauma- and stressor-related disorders, personality and psychotic disorders, substance use disorder, and substance misuse; -de-escalation techniques and communication; and -crisis resolution and suicide prevention, including procedures for contacting county crisis response teams and 988 suicide and crisis lifelines. On July 21, 2026, at 11:00 a.m., O-A stated that the mental health training was missing from the record because they were not aware of the requirement. The licensee's Orientation Training policy, dated May 1, 2025, indicated two hours of mental illness and de-escalation training would be completed during orientation. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01530			
01890 SS=D	144G.71 Subd. 20 Prescription drugs A prescription drug, prior to being set up for immediate or later administration, must be kept in the original container in which it was dispensed by the pharmacy bearing the original prescription label with legible information including the expiration or beyond-use date of a time-dated drug. This MN Requirement is not met as evidenced by:	01890			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01890	Continued From page 7 Based on observation and interview, the licensee failed to ensure medications included an original prescription label with legible information including the expiration or beyond-use date of a time-dated drug for one of two residents (R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: R2's diagnoses included schizophrenia (a mental health disorder). R2's Service Plan dated July 8, 2026, indicated R2 received services including assistance with medication administration, behavior management, housekeeping and safety checks. On July 21, 2026, at 8:15 a.m., the surveyor observed unlicensed personnel (ULP)-C assist R2 with medication administration. R2's medication administration record (MAR) for July 2026, indicated R2 was administered acetaminophen 325 milligrams, 2 tablets. As needed for pain. On July 21, 2026, at 9:05 a.m., during a review of the medication storage area, the surveyor observed R2 had a bottle of acetaminophen with used by date of April 2026.	01890			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41593	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/21/2026
NAME OF PROVIDER OR SUPPLIER EVERLASTING CARE RESIDENCE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6231 BLOOMINGTON AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01890	Continued From page 8 On July 21, 2026, at 9:15 a.m., owner (O)-A stated medication should be destroyed after the use by date, and it was a oversight that the acetaminophen was still in the medication storage. The licensee's undated Medications Disposal policy dated May 1, 2025, indicated that all medication will be destroyed after the expiration date. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	01890			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

EVERLASTING CARE RESIDENCE LLC
6231 BLOOMINGTON AVE
Richfield, MN 55423
Hennepin County
Parcel:

Phone:

License Info

License: HFID 41593

Risk:
License:
Expires on:
CFPM: Amina Hassan Hussein
CFPM #: 61759; Exp: 5/19/2028

Inspection Info

Report Number: F8041261091
Inspection Type: Full - Single
Date: 7/21/2026 Time: 10:30 AM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 1
Delivery: Emailed

New Order: 4-500 Equipment Maintenance and Operation

4-501.11AB Priority Level: Priority 3 CFP#: 47

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

COMMENT: ONE OF THE KITCHEN CABINET DRAWERS IS BROKEN. PER OPERATOR, THIS IS SCHEDULED FOR REPAIR.

Comply By: 8/21/2026 Originally Issued On: 7/21/2026

Food & Beverage General Comment

Inspection was completed with the owner, Mahdi Muse. Angel Woehler was the HRD nurse evaluator.

Facility has a residential kitchen. Food must be prepared for same day service only. Kitchen has a smooth ceiling, tile flooring, wood cabinets with a hollow base and a solid surface countertop.

Establishment has a dish machine with a sanitize cycle option that achieved a utensil surface temperature of at least 160F.

Discussed the following:

- Employee illness policy and logging requirements
- Reporting foodborne illness complaints to the health dept.
- Handwashing
- Date marking
- Glove-use and bare hand contact
- Proper food storage
- Vomit clean-up procedures
- Restrictions concerning serving a highly susceptible population

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F8041261091 from 7/21/2026

Mahdi Muse
Owner



Sarah Conboy,
Public Health Sanitarian Supervisor
651-201-3984
sarah.conboy@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

EVERLASTING CARE RESIDENCE LLC
Richfield
County/Group: Hennepin County

Inspection Info

Report Number: F8041261091
Inspection Type: Full
Date: 7/21/2026
Time: 10:30 AM

Food Temperature: **Product/Item/Unit:** turkey; **Temperature Process:** Cold-Holding

Location: refrigerator at 37 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** hot dog; **Temperature Process:** Cold-Holding

Location: Refrigerator at 37 Degrees F.

Comment:

Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL41593015-0	Date: 7/21/2026
Facility Name: Everlasting Care Residence LLC	
Facility Address: 6231 Bloomington Ave, Richfield, MN 55423	

☒ TAG IDENTIFICATION: 0775

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. Each assisted living facility must comply with the provisions of the Minnesota State Fire Code (MSFC) in Minnesota Rules chapter 7511. [Minn. Stat. 144G.45 subd. 2]
2. A means of egress shall be free from obstructions that would prevent its use, including the accumulation of snow and ice. Means of egress shall remain free of any material or matter where its presence would obstruct or render the means of egress hazardous. No combustible material storage is allowed in the corridors or exit stairs. [Minn. Stat. 144G.45 subd. 2; MSFC 1031.3]

Comments: In residence room 2 and 3 the window crank handles were damaged making it difficult to open the emergency escape window.

3. Open junction boxes and open-wiring splices shall be prohibited. Approved covers shall be provided for all switch and electrical outlet boxes. [Minn. Stat. 144G.45 subd. 2; MSFC 604.6]

Comments: In the main floor common area there was an open junction box on the ceiling near the fireplace.