



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

September 3, 2026

Licensee
Sister Support LLC
3220 Nathan Lane North
Plymouth, MN 55441

RE: Project Number(s) SL34786016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on August 4, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

- Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
- Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

- 0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - \$500.00**
- 0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$500.00**

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$1,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each

matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

JMD

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDERS In accordance with Minnesota Statutes, section 144G.08 to 144G.95 this correction order(s) has been issued pursuant to a survey. Determination of whether a violation has been corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL34786016-0 On August 3, 2026, through August 4, 2026, the Minnesota Department of Health conducted an initial survey at the above provider, and the following correction orders are issued. At the time of the survey, there were four (4) residents; four residents receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators ' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated August 3, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	to the FBEIR for any compliance dates.				
0 630 SS=D	144G.42 Subd. 6 (b) Compliance with requirements for reporting ma (b) The facility must develop and implement an individual abuse prevention plan for each vulnerable adult. The plan shall contain an individualized review or assessment of the person's susceptibility to abuse by another individual, including other vulnerable adults; the person's risk of abusing other vulnerable adults; and statements of the specific measures to be taken to minimize the risk of abuse to that person and other vulnerable adults. For purposes of the abuse prevention plan, abuse includes self-abuse. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure an individual abuse prevention plan (IAPP) was developed to include all the required content for one of three residents (R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: R2 was admitted to the assisted living facility on	0 630			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 630	Continued From page 4 February 5, 2026, and began receiving assisted living services. R4's diagnoses included anxiety disorder, major depressive disorder, and mild shortness of breath. R2's service plan (waiver) - addendum to contract dated February 26, 2026, indicated R2 received services including daily assistance with medication administration, bathing reminder, behavior management, light housekeeping, meal preparation, and socialization, obtaining vital signs every two days, arranging transportation, and shopping assistance as needed. R2's individual abuse prevention plan (IAPP) completed on August 2, 2026, included a section titled "Safety". The plan included the following predefined text selected for R2 with evaluation options: - "Vulnerability. Resident is at risk to abuse other vulnerable adults, specify measures to minimize risk: history of aggressive interactions with other vulnerable adults. [R2's] behavior will be monitored, preventative measures such as education about alcohol use, anger management, and avoiding triggers will be implemented", and - "Vulnerability. Resident is at risk to be abused (physically, verbally, emotionally, financially, and/or sexually), specify measures to minimize risk: due to cognitive limitations is at risk of being abused". The IAPP lacked a statement of the specific measures to be taken to minimize the risk for R2 to be abused (physically, verbally, emotionally, financially, and/or sexually), by another individual. On August 4, 2026, at approximately 2:15 p.m.,	0 630			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 630	Continued From page 5 registered nurse (RN)-C stated she did not realize she did not address the specific measures to be taken to minimize the risk of R2 to be abused by other individuals on R2's IAPP. The licensee's Vulnerable Adult Maltreatment - Prevention and Reporting policy dated February 10, 2026, indicated consistent with the Minnesota Vulnerable Adults Act and Assisted Living licensure regulations, [licensee] prohibits the maltreatment of residents. Furthermore, [licensee] would develop individualized vulnerable adult abuse prevention plans to identify vulnerability risks and would develop measures to minimize maltreatment based on identified information. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	0 630			
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 6 safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated August 4, 2026, for the specific violations related to the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 775			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7 (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated August 4, 2026, for the specific violations related	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34786	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/04/2026
NAME OF PROVIDER OR SUPPLIER SISTER SUPPORT LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 3220 NATHAN LANE NORTH PLYMOUTH, MN 55441			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 8 to the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Sister Support LLC
3220 NATHAN LANE NORTH
Plymouth, MN 55441
Hennepin County
Parcel:

Phone:

License Info

License: HFID 34786

Risk:
License:
Expires on:
CFPM:
CFPM #: ; Exp:

Inspection Info

Report Number: F7994261169
Inspection Type: Full - Single
Date: 8/3/2026 Time: 11:22:16 AM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 2
Delivery: Emailed

New Order: 2-100 Supervision

2-102.12AMN Priority Level: Priority 3 CFP#: 2

MN Rule 4626.0033A Employ a certified food protection manager (CFPM) for the establishment.

COMMENT: No current CFPM was posted on site. Site has submitted paperwork in June. Contact our main number at 651-201-4500 to check on the status.

Comply By: 8/3/2026 Originally Issued On: 8/3/2026

New Order: 4-500 Equipment Maintenance and Operation

4-501.11AB Priority Level: Priority 3 CFP#: 47

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

COMMENT: Fridge found not working and all food has been moved to fridge/freezer in garage. A work order has been place for the fridge in the kitchen.

Comply By: 8/17/2026 Originally Issued On: 8/3/2026

Food & Beverage General Comment

INSPECTION CONDUCTED IN THE PRESENCE OF HRD STAFF AND FINDINGS SHARED AT THE END OF INSPECTION.

WILL EMAIL SUPPORTING DOCUMENTS AND LINKS TO HRD STAFF AT THE END OF THE DAY.

KITCHEN IS RESIDENTIAL AND FOOD IS PREPARED FOR SAME DAY SERVICE.

FLOOR IS WOO TILE, CABINETS ARE WOOD WITH HALLOWED ENCLOSED BASES, GRANITE COUNTER TOPS AND SMOOTH PAINTED CEILING. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT ANY TIME THERE IS FOUND TO BE A RISK OF CONTAMINATION OR CONCERN THE PHYSICAL FACILITIES WILL BE REQUIRED TO BE BROUGHT UP TO CODE.

TEMPERATURES:

Milk 36
Juice 38

SANITIZERS:

Dishwasher 194

HRD INSPECTOR: Rhonda Makela

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F7994261169 from 8/3/2026



Gamila Idris

Crystal Elva, REHS, MS, BS
Public Health Sanitarian 3
651-201-3981
crystal.elva@state.mn.us

Minnesota (MDH) Version EH Manager; RPT: F7994261169		Food Establishment Inspection Report		Page 1 of 1	
 Metro District Office Minnesota Department of Health 625 Robert St N, PO BOX 64975 St Paul, MN 55164		No. of Risk Factor/Intervention/Violations		1	Date: 8/3/2026
		No. of Repeat Risk Factor/Intervention/Violations			Time: 11:22:16 AM
		Score (optional)			Dur: min
Establishment: Sister Support LLC		Address: 3220 NATHAN LANE NORTH		City/State: Plymouth, MN	Zip: 55441
License/Permit #: HFID 34786		Permit Holder:		Purpose of Inspection: Full	Est. Type: Risk Category:
FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS					
Designated compliance status (IN, OUT, N/O, N/A) for each numbered item					
IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable					
Mark "X" in appropriate box for COS and/or R					
COS=corrected on-site during inspection R=repeat violation					
Compliance Status				COS	R
Supervision					
1	IN	Person in charge present, demonstrate knowledge and performs duties			
2	OUT	Certified Food Protection Manager			
Employee Health					
3	IN	knowledge, responsibilities, and reporting			
4	IN	Proper use of restriction and exclusion			
5	IN	Response to vomiting, diarrheal events			
Good Hygienic Practices					
6	IN	Proper eating, tasting, drinking, tobacco use			
7	IN	No discharge from eyes, nose, and mouth			
Preventing Contamination by Hands					
8	IN	Hands clean and properly washed			
9	IN	No bare hand contact with RTE foods, alternatives			
10	IN	Adequate handwashing sinks supplied and access			
Approved Source					
11	IN	Food obtained from approved source			
12	N/O	Food Received at proper temperature			
13	IN	Food in good condition, safe & unadulterated			
14	N/A	Records available: shellstock tags, parasite dest.			
Protection From Contamination					
15	IN	Food separated and protected			
16	IN	Food-contact surfaces; cleaned & sanitized			
17	IN	Proper Disposition of returned, previously served, reconditioned, & unsafe food			
GOOD RETAIL PRACTICES					
Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
Mark "X" or OUT in box if numbered item is not in compliance Mark "X" in appropriate box for COS and/or R COS=corrected on-site during inspection R=repeat violation					
Compliance Status				COS	R
Safe Food and Water					
30	N/A	Pasteurized eggs used where required			
31		Water & ice from approved source			
32	N/A	Variance obtained for specialized processing methods			
Food Temperature Control					
33		Proper cooling methods used; adequate equipment for temperature control			
34	N/A	Plant food properly cooked for hot holding			
35	IN	Approved thawing methods used			
36		Thermometers provided & accurate			
Food Identification					
37		Food properly labeled; original container			
Prevention of Food Contamination					
38		Insects, rodents, & animals not present; no unauthorized person			
39		Contamination prevented during food prep, storage, & display			
40		Personal cleanliness			
41		Wiping cloths: properly used & stored			
42		Washing fruits & vegetables			
Person in Charge (signature)					
Inspector (signature)					
Follow-up: Follow-up Date:					
Time/Temperature Control for Safety					
18	N/O	Proper cooking time & temperatures			
19	N/A	Proper reheating procedures for hot holding			
20	N/A	Proper cooling time and temperature			
21	N/A	Proper hot holding temperatures			
22	IN	Proper cold holding temperatures			
23	IN	Proper date marking & disposition			
24	N/A	Time as public health control; procedures & record			
Consumer Advisory					
25	N/A	Consumer advisory provided for raw or undercooked foods			
Highly Susceptible Populations					
26	N/A	Pasteurized foods used; prohibited foods not offered			
Food/Color Additives and Toxic Substances					
27	N/A	Food additives; approved & properly used			
28	IN	Toxic substances properly identified; stored; used			
Conformance with Approved Procedures					
29	N/A	Compliance with variance, specialized processes & HACCP plan			
Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health interventions are control measures to prevent foodborne illness or injury					

Physical Environment Inspection Report

ASSISTED LIVING | ASSISTED LIVING WITH DEMENTIA CARE

Project No: SL34786016-0	Date: August 4, 2026
Facility Name: SISTER SUPPORT LLC	
Facility Address: 3220 NATHAN LANE NORTH PLYMOUTH, MN 5544	

☒ TAG IDENTIFICATION: 0775

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1.

A means of egress shall be free from obstructions that would prevent its use, including the accumulation of snow and ice. Means of egress shall remain free of any material or matter where its presence would obstruct or render the means of egress hazardous. No combustible material storage is allowed in the corridors or exit stairs. [Minn. Stat. 144G.45 subd. 2; MSFC 1031.3]

Comments: The licensee failed to maintain an emergency egress route from the rear deck that provided a clear, accessible path to the public way. During the survey, the emergency exit door leading to the rear deck was observed to terminate at a set of stairs that descended directly into a swamped and wooded area. No maintained pathway or other accessible route was provided from the base of the stairs to a public way or safe area of refuge. As a result, occupants using this designated emergency exit would be unable to safely evacuate the premises to the public way.

☒ TAG IDENTIFICATION: 0810

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

1.

Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that are readily available at all times within the facility. [Minn. Stat. 144G.45 subd.2]

Comments: Surveyor requested the FSEP for review. During review Administrator (A)-A had to print a copy of the resident procedures. FSEP for both staff and residents should always be made readily available.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The policy section titled, Emergency Preparedness Plan: Handout for Residents, included a bullet point where the provider could fill in procedures for a fire scenario, but it was left blank. No evacuation procedures were provided for residents

3. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP failed to provide specific procedures for resident movement and evacuation or relocation during a fire or similar emergency including individualized unique needs of residents. The plan included instructions to evacuate residents but did not include the identification of residents that need assistance or any resident-specific procedures to staff for assisting residents during an evacuation.