Electronically Delivered

October 12, 2026

Licensee
Midwest Residential Inc
10917 Humboldt Avenue South
Bloomington, MN 55431

RE: Project Number(s) SL33248016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on September 11, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS
The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility**.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Renee L. Anderson

Renee L. Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

CLN

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL33248016-0 On September 8, 2026 through September 11, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were six residents; six receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated September 9, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 3 TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.	0 480		
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated	0 800		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 800	Continued From page 4 September 10, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 800		
01440 SS=F	144G.62 Subd. 4 Supervision of staff providing delegated nurs (a) Staff who perform delegated nursing or therapy tasks must be supervised by an appropriate licensed health professional or a registered nurse according to the assisted living facility's policy where the services are being provided to verify that the work is being performed competently and to identify problems and solutions related to the staff person's ability to perform the tasks. Supervision of staff performing medication or treatment administration shall be provided by a registered nurse or appropriate licensed health professional and must include observation of the staff administering the medication or treatment and the interaction with the resident. (b) The direct supervision of staff performing delegated tasks must be provided within 30 calendar days after the date on which the individual begins working for the facility and first performs the delegated tasks for residents and thereafter as needed based on performance. This requirement also applies to staff who have not performed delegated tasks for one year or longer. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure a registered nurse (RN) conducted direct supervision of staff	01440		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01440	Continued From page 5 performing a delegated task within 30 days of providing services for one of one employee (unlicensed personnel (ULP)-D). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: ULP-D was hired on September 15, 2025, and provided direct care services for the licensee's assisted living residents. On September 9, 2026, at 11:00 a.m., the surveyor observed ULP-D assist R1 with medication administration. At that time, the surveyor asked ULP-D who trained her to provide medication administration assistance and ULP-D replied that a nurse at the licensee's training office trained ULP-D. ULP-D's record contained a Skills Competency-Medication Administration-Routes document showing that ULP-D was trained for medication administration by RN-E on October 8, 2025. ULP-D's record also contained a 30 Day Direct Observation Report document showing RN-F observed ULP-D performing delegated tasks, including medication administration. This document was dated October 7, 2025, prior to the documented initial skills training and competency.	01440		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	33248	A. BUILDING: _____ B. WING _____	09/11/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH BLOOMINGTON, MN 55431

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01440	Continued From page 6 On September 9, 2026, at 1:00 p.m., the surveyor asked owner/licensed assisted living director (O/LALD)-A why RN-F completed a 30-day observation of ULP-D's delegated medication administration skills one day before ULP-D was trained in medication administration. O/LALD-A replied that she did not understand why RN-F did the observation at that time and RN-F no longer worked for the licensee. The licensee's 6.17 Supervision of Staff - Delegated Services policy dated August 1, 2025, indicated direct supervision of staff performing delegated tasks must be provided within 30 calendar days after the date on which the individual begins working for the licensee and first performs the delegated tasks for residents and thereafter as needed based on performance. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01440		

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

MIDWEST RESIDENTIAL INC
10917 HUMBOLDT AVENUE SOUTH
Bloomington, MN 55431
Hennepin County
Parcel:

Phone:

License Info

License: HFID 33248

Risk:
License:
Expires on:
CFPM: Susie Johnson
CFPM #: 28090; Exp: 9/26/2027

Inspection Info

Report Number: F7994261183
Inspection Type: Full - Single
Date: 9/9/2026 Time: 11:33:15 AM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 1
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

! **New Order: 3-500B Microbial Control: hot and cold holding**
3-501.16A2 *Priority Level: Priority 1 CFP#: 22*
MN Rule 4626.0395A2 Maintain all cold, TCS foods at 41 degrees F (5 degrees C) or below under mechanical refrigeration.
COMMENT: Fridge found holding foods between 38 and 43 F. Instructed staff to adjust fridge and monitor temps. If temps remain elevated discard and service fridge.
Comply By: 9/9/2026 Originally Issued On: 9/9/2026

Food & Beverage General Comment

INSPECTION CONDUCTED IN THE PRESENCE OF HRD STAFF AND FINDINGS SHARED AT THE END OF INSPECTION.

WILL EMAIL SUPPORTING DOCUMENTS AND LINKS TO HRD STAFF AT THE END OF THE DAY.

KITCHEN IS RESIDENTIAL AND FOOD IS PREPARED FOR SAME DAY SERVICE.

FLOOR IS CERAMIC TILE, CABINETS ARE WOOD WITH HALLOWED ENCLOSED BASES, TILE COUNTER TOPS AND TEXTURED CEILING. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT ANY TIME THERE IS FOUND TO BE A RISK OF CONTAMINATION OR CONCERN THE PHYSICAL FACILITIES WILL BE REQUIRED TO BE BROUGHT UP TO CODE.

TEMPERATURES:
Fridge: Foods between 38 and 43

HRD INSPECTOR: Robyn Woolley

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F7994261183 from 9/9/2026

Crystal Elva

Faiza Hassan

Crystal Elva, REHS, MS, BS

Public Health Sanitarian 3
651-201-3981
crystal.elva@state.mn.us

Minnesota (MDH) Version
EH Manager; RPT: F7994261183

Food Establishment Inspection Report

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

No. of Risk Factor/Intervention/Violations	1	Date: 9/9/2026
No. of Repeat Risk Factor/Intervention/Violations		Time: 11:33:15 AM
Score (optional)		Dur: min

Establishment:	Address:	City/State:	Zip:	Phone:
MIDWEST RESIDENTIAL INC	10917 HUMBOLDT AVENUE SOUTH	Bloomington, MN	55431	
License/Permit #:	**Permit Holder:**	**Purpose of Inspection:**	**Est. Type:**	**Risk Category:**
HFID 33248		Full		

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Designated compliance status (IN, OUT, N/O, N/A) for each numbered item

IN=in compliance **OUT**=not in compliance **N/O**=not observed **N/A**=not applicable

Mark "X" in appropriate box for COS and/or R

COS=corrected on-site during inspection **R**=repeat violation

	Compliance Status		COS	R
	Supervision			
1	IN	Person in charge present, demonstrate knowledge and performs duties		
2	IN	Certified Food Protection Manager		
	Employee Health			
3	IN	knowledge, responsibiities, and reporting		
4	IN	Proper use of restriction and exclusion		
5	IN	Response to vomiting, diarrheal events		
	Good Hygienic Practices			
6	IN	Proper eating, tasting, drinking, tobacco use		
7	IN	No discharge from eyes, nose, and mouth		
	Preventing Contamination by Hands			
8	IN	Hands clean and properly washed		
9	IN	No bare hand contact with RTE foods, alternatives		
10	IN	Adequate handwashing sinks supplied and access		
	Approved Source			
11	IN	Food obtained from approved source		
12	N/O	Food Received at proper temperature		
13	IN	Food in good condition, safe & unadulterated		
14	N/A	Records available: shellstock tags, parasite dest.		
	Protection From Contamination			
15	IN	Food separated and protected		
16	IN	Food-contact surfaces; cleaned & sanitized		
17	IN	Proper Disposition of returned, previously served, reconditioned,& unsafe food		

	Compliance Status		COS	R
	Time/Temperature Control for Safety			
18	N/O	Proper cooking time & temperatures		
19	N/A	Proper reheating procedures for hot holding		
20	N/A	Proper cooling time and temperature		
21	N/A	Proper hot holding temperatures		
22	OUT	Proper cold holding temperatures		
23	N/O	Proper date marking & disposition		
24	N/A	Time as public health control;procedures & record		
	Consumer Advisory			
25	N/A	Consumer advisory provided for raw or undercooked foods		
	Highly Susceptible Populations			
26	N/A	Pasteurized foods used; prohibited foods not offered		
	Food/Color Additives and Toxic Substances			
27	N/A	Food additives; approved & properly used		
28	N/A	Toxic substances properly identified;stored;used		
	Conformance with Approved Procedures			
29	N/A	Compliance with variance, specialized processes & HACCP plan		

Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illness or injury

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Mark "X" or OUT in box if numbered item is **not** in compliance Mark "X" in appropriate box for COS and/or R **COS**=corrected on-site during inspection **R**=repeat violation

			COS	R
		Safe Food and Water		
30	N/A	Pasteurized eggs used where required		
31		Water & ice from approved source		
32	N/A	Variance obtained for specialized processing methods		
		Food Temperature Control		
33		Proper cooling methods used; adequate equipment for temperature control		
34	N/A	Plant food properly cooked for hot holding		
35	IN	Approved thawing methods used		
36		Thermometers provided & accurate		
		Food Identification		
37		Food properly labeled; original container		
		Prevention of Food Contamination		
38		Insects, rodents, & animals not present; no unauthorized person		
39		Contamination prevented during food prep, storage, & display		
40		Personal cleanliness		
41		Wiping cloths: properly used & stored		
42		Washing fruits & vegetables		

			COS	R
		Proper Use of Utensils		
43		In-use utensils; Properly stored		
44		Utensils, equipment & linens; properly stored, dried, handled		
45		Single-use & single-service articles, properly stored and used		
46		Gloves used properly		
		Utensils, Equipment and Vending		
47		Food & non-food contact surfaces cleanable, properly designed, constructed, & used		
48		Warewashing facilities: installed, maintained, used; test strips		
49		Non-food contact surfaces clean		
		Physical Facilities		
50		Hot & cold water available; adequate pressure		
51		Plumbing installed; proper backflow devices		
52		Sewage & waste water properly disposed		
53		Toilet facilities; properly constructed, supplied & cleaned		
54		Garbage & refuse properly disposed; facilities maintained		
55		Physical facilities installed, maintained & clean		
56		Adequate ventilation & lighting; designated areas used		
57		Compliance with MCIAA		
58		Compliance with licensing and plan review		

Person in Charge (signature)

Inspector (signature) Crystal Elva

Follow-up: Follow-up Date:

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL33248016-0	**Date:** September 10, 2026
Facility Name: MIDWEST RESIDENTIAL INC	
Facility Address: 10917 Humboldt Ave S, Bloomington, Minnesota 55431	

☒ **TAG IDENTIFICATION: 0800**

SCOPE/ SEVERITY: Level 2; Isolated **TIME PERIOD OF CORRECTION:** Seven (7) days

1. The physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment are in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. [Minn. Stat. 144G.45 subd.2]

   Comments: The exterior of the facility, including gazebo, and exterior fence had chipping and peeling paint. The handle for the window in room number 5 was loose.