



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

October 20, 2025

Licensee
Joyful Journeys LLC
8227 12th Ave South
Bloomington, MN 55425

RE: Project Number(s) SL40900015

Dear Licensee:

This is your **official notice** that you have been **granted your assisted living facility license**. Your license effective and expiration dates remain the same as on your provisional license. Your updated status will be listed on the license certificate at renewal and **this letter serves as proof** in the meantime. If you have not received a letter from us with information regarding renewing your license within 60 days prior to your expiration date, please contact us at (651) 201-5273 or by email at Health.assistedliving@state.mn.us.

The Minnesota Department of Health completed an initial survey on September 10, 2025, for the purpose assessing compliance with state licensing statutes. At the time of the survey, the Minnesota Department of Health noted violations of the laws pursuant to Minnesota Statute, Chapter 144G.

The Department of Health concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. The Department of Health documents state correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Home Care Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

Per Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the

correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's residents/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by the Department of Health within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:


<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

KKM

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL40900015-0 On September 9, 2025, through September 10, 2025, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were two residents; two receiving services under the Provisional Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. The letter in the left column is used for tracking purposes and reflects the scope and level pursuant to 144G.31 Subd. 1, 2 and 3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services (a) Except as provided in paragraph (b), food must be prepared and served according to the	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are allowed provided the facility keeps them clean and in good condition;	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated September 9, 2025, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	to the FBEIR for any compliance dates.				
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to have a written emergency preparedness plan with all required content. This had the potential to affect two residents, staff, and visitors.	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 4 This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: The licensee's emergency preparedness plan, dated May 1, 2025, lacked the following required content: -process for emergency preparedness cooperation with state and local EP officials/organizations -subsistence needs for staff and residents during emergency situation -quarterly review of the missing resident policy and procedures On September 10, 2025, at 10:40 a.m., office administrator (OA)-B stated she had reviewed the state requirements and completed a training on the emergency plan requirements and had developed the emergency plan accordingly. OA-B stated she would continue to review and update the plan as needed. The licensee's Emergency Preparedness policy, dated May 5, 2025, indicated the licensee "will have an identified plan in place to assure the safety and well-being of residents and staff during periods of an emergency or disaster that disrupts services." No further information was provided.	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 5	0 680			
0 775 SS=E	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to maintain facility in compliance with Minnesota State Fire Code under Minnesota Rules Chapter 7511. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a pattern scope (when more than a limited number of residents are affected, more than a limited number of staff are involved, or the situation has occurred repeatedly; but is not found to be pervasive). The findings include: On September 10, 2025, from approximately 12:15 p.m. to 2:20 p.m., the surveyor toured the facility with clinical nurse supervisor (CNS)-D. During the tour the surveyor observed the following: The dryer vent in the laundry room was not properly connected and had accumulated lint	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 6 behind the dryer which could pose risk of fire. Lint should be cleaned and venting repaired and maintained in proper order. The egress window in resident room 5 was partially obstructed from a mounted television, which extended into the egress window well and limited ready access to the window. The egress well should be maintained free of obstruction. CNS-D acknowledged the noted deficiencies during the tour and expressed that they would correct the deficiencies. TIME PERIOD FOR CORRECTION: Seven (7) days	0 775			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7 (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to develop the fire safety and evacuation plan with required content. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On September 10, 2025, at approximately 1:45 p.m., clinical nurse supervisor (CNS)-D and office administrator (OA)-B provided documents on the	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 8 fire safety and evacuation plan (FSEP), fire safety and evacuation training, and evacuation drills for the facility. The licensee FSEP failed to include the following: The FSEP failed to include appropriate employee actions to take during a fire or similar emergency. OA-B stated that the facility was in the process of developing these policies. The FSEP failed to identify specific fire protection actions for residents. OA-B stated that the facility was in the process of developing these policies. Record review indicated the licensee failed to provide and document adequate training to employees on the FSEP upon hire and at least twice per year. Staff was unable to provide documentation showing adequate trainings were provided for employee training on the fire safety and evacuation plan. No documents were available of staff training and OA-B indicated that trainings would be implemented and recorded in the future. Record review indicated the licensee failed to provide and document adequate training to residents on actions to take during a fire or evacuation. No documents were available of resident training and OA-B indicated that resident trainings would be implemented and recorded in the future. During an interview on September 10, 2025, at approximately 2:05 p.m., the surveyor explained the requirements for employee trainings, resident training and FSEP documentation. OA-B and CNS-D stated they understood the requirements.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 9	0 810			
01470 SS=F	144G.63 Subd. 2 Content of required orientation (a) The orientation must contain the following topics: (1) an overview of this chapter; (2) an introduction and review of the facility's policies and procedures related to the provision of assisted living services by the individual staff person; (3) handling of emergencies and use of emergency services; (4) compliance with and reporting of the maltreatment of vulnerable adults under section 626.557 to the Minnesota Adult Abuse Reporting Center (MAARC); (5) the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person; (7) handling of residents' complaints, reporting of complaints, and where to report complaints, including information on the Office of Health Facility Complaints; (8) consumer advocacy services of the Office of Ombudsman for Long-Term Care, Office of Ombudsman for Mental Health and Developmental Disabilities, Managed Care Ombudsman at the Department of Human Services, county-managed care advocates, or other relevant advocacy services; and (9) a review of the types of assisted living services the staff member will be providing and the facility's category of licensure.	01470			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01470	Continued From page 10 (b) In addition to the topics in paragraph (a), orientation may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and the challenges it poses to communication; (2) health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure orientation to assisted living statutes included all the required content for two of two employees (clinical nurse supervisor (CNS)-D, owner/unlicensed personnel (O/ULP)-A). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive	01470			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 40900	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2025
NAME OF PROVIDER OR SUPPLIER JOYFUL JOURNEYS LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 8227 12TH AVE S BLOOMINGTON, MN 55425			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01470	Continued From page 11 or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: CNS-D and O/ULP-A were both hired on May 14, 2025. CNS-D and O/ULP-A's training transcripts lacked documentation either had completed the required orientation topic: principles of person-centered planning and service delivery. On September 10, 2025, office administrator (OA)-B provided the Educare transcript and onsite trainings for CNS-D and O/ULP-A, and verified the principles of person-centered planning and service delivery training was not completed by CNS-D or O/ULP-A, and would ensure the training was completed by all employees. The licensee's Staff Orientation and Education policy, dated May 5, 2025, verified the orientation provided by the licensee, required before providing assisted living services, would include the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01470			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

JOYFUL JOURNEYS LLC
8227 12TH AVE S
Bloomington, MN 55425
Hennepin County
Parcel:

Phone:

License Info

License: HFID 40900

Risk:
License:
Expires on:
CFPM: Marian Abdulqadir Farah
CFPM #: 119969; Exp: 8/25/2026

Inspection Info

Report Number: F7994251093
Inspection Type: Full - Single
Date: 9/9/2025 Time: 11:21:32 AM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 1
Total Priority 3 Orders: 0
Delivery:

New Order: 4-300 Equipment Numbers and Capacities

4-302.13B *Priority Level: Priority 2 CFP#: 48*

MN Rule 4626.0710B Provide a readily accessible, irreversible registering temperature indicator for measuring the utensil surface temperature in mechanical hot water warewashing operations.

COMMENT: FACILITY RAN OUT OF TEST STRIPS FOR THE DISHWASHER. PROVIDE TEST STRIPS AT ALL TIMES.

Comply By: 9/9/2025 Originally Issued On: 9/9/2025

Food & Beverage General Comment

INSPECTION CONDUCTED IN THE PRESENCE OF HRD STAFF AND FINDINGS SHARED AT THE END OF INSPECTION.

WILL EMAIL SUPPORTING DOCUMENTS AND LINKS TO HRD STAFF AT THE END OF THE DAY.

KITCHEN IS RESIDENTIAL AND FOOD IS PREPARED FOR SAME DAY SERVICE.

FLOOR IS CERAMIC TILE, CABINETS ARE WOOD WITH HALLOWED ENCLOSED BASES, GRANITE COUNTER TOPS AND SMOOTH PAINTED CEILING. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT ANY TIME THERE IS FOUND TO BE A RISK OF CONTAMINATION OR CONCERN THE PHYSICAL FACILITIES WILL BE REQUIRED TO BE BROUGHT UP TO CODE.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F7994251093 from 9/9/2025

Establishment Representative

Crystal Elva, REHS, MS, BS
Public Health Sanitarian 3
651-201-3981
crystal.elva@state.mn.us

Minnesota (MDH) Version EH Manager; RPT: F7994251093		Food Establishment Inspection Report			Page <u>1</u> of <u>1</u>								
 Metro District Office Minnesota Department of Health 625 Robert St N, PO BOX 64975 St Paul, MN 55164		No. of Risk Factor/Intervention/Violations		0	Date: 9/9/2025								
		No. of Repeat Risk Factor/Intervention/Violations			Time: 11:21:32 AM								
		Score (optional)			Dur: min								
Establishment: JOYFUL JOURNEYS LLC		Address: 8227 12TH AVE S		City/State: Bloomington, MN		Zip: 55425	Phone:						
License/Permit #: HFID 40900		Permit Holder:		Purpose of Inspection: Full		Est. Type:		Risk Category:					
FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS													
Designated compliance status (IN, OUT, N/O, N/A) for each numbered item													
IN=in compliance OUT=not in compliance N/O=not observed N/A=not applicable													
Mark "X" in appropriate box for COS and/or R													
COS=corrected on-site during inspection R=repeat violation													
Compliance Status			COS	R	Compliance Status			COS	R				
Supervision													
1	IN	Person in charge present, demonstrate knowledge and performs duties			Time/Temperature Control for Safety								
2	IN	Certified Food Protection Manager			18	N/O	Proper cooking time & temperatures						
Employee Health									19	N/A	Proper reheating procedures for hot holding		
3	IN	knowledge, responsibilities, and reporting			20	N/A	Proper cooling time and temperature						
4	IN	Proper use of restriction and exclusion			21	N/A	Proper hot holding temperatures						
5	IN	Response to vomiting, diarrheal events			22	IN	Proper cold holding temperatures						
Good Hygienic Practices									23	IN	Proper date marking & disposition		
6	IN	Proper eating, tasting, drinking, tobacco use			24	N/A	Time as public health control;procedures & record						
7	IN	No discharge from eyes, nose, and mouth			Consumer Advisory								
Preventing Contamination by Hands									25	N/A	Consumer advisory provided for raw or undercooked foods		
8	IN	Hands clean and properly washed			Highly Susceptible Populations								
9	IN	No bare hand contact with RTE foods, alternatives			26	N/A	Pasteurized foods used; prohibited foods not offered						
10	IN	Adequate handwashing sinks supplied and access			Food/Color Additives and Toxic Substances								
Approved Source									27	N/A	Food additives; approved & properly used		
11	IN	Food obtained from approved source			28	IN	Toxic substances properly identified;stored;used						
12	N/O	Food Received at proper temperature			Conformance with Approved Procedures								
13	IN	Food in good condition, safe & unadulterated			29	N/A	Compliance with variance, specialized processes & HACCP plan						
14	N/A	Records available: shellstock tags, parasite dest.			Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health interventions are control measures to prevent foodborne illness or injury								
Protection From Contamination													
15	IN	Food separated and protected											
16	IN	Food-contact surfaces; cleaned & sanitized											
17	IN	Proper Disposition of returned, previously served, reconditioned,& unsafe food											
GOOD RETAIL PRACTICES													
Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.													
Mark "X" or OUT in box if numbered item is not in compliance Mark "X" in appropriate box for COS and/or R COS=corrected on-site during inspection R=repeat violation													
			COS	R				COS	R				
Safe Food and Water													
30	N/A	Pasteurized eggs used where required			Proper Use of Utensils								
31		Water & ice from approved source			43		In-use utensils; Properly stored						
32	N/A	Variance obtained for specialized processing methods			44		Utensils, equipment & linens; properly stored, dried, handled						
Food Temperature Control									45		Single-use & single-service articles, properly stored and used		
33		Proper cooling methods used; adequate equipment for temperature control			46		Gloves used properly						
34	N/A	Plant food properly cooked for hot holding			Utensils, Equipment and Vending								
35	IN	Approved thawing methods used			47		Food & non-food contact surfaces cleanable, properly designed, constructed, & used						
36		Thermometers provided & accurate			48	X	Warewashing facilities: installed, maintained, used; test strips						
Food Identification									49		Non-food contact surfaces clean		
37		Food properly labeled; original container			Physical Facilities								
Prevention of Food Contamination									50		Hot & cold water available; adequate pressure		
38		Insects, rodents, & animals not present; no unauthorized person			51		Plumbing installed; proper backflow devices						
39		Contamination prevented during food prep, storage, & display			52		Sewage & waste water properly disposed						
40		Personal cleanliness			53		Toilet facilities; properly constructed, supplied & cleaned						
41		Wiping cloths: properly used & stored			54		Garbage & refuse properly disposed; facilities maintained						
42		Washing fruits & vegetables			55		Physical facilities installed, maintained & clean						
Person in Charge (signature)					56		Adequate ventilation & lighting; designated areas used						
Inspector (signature) 					57		Compliance with MCIAA						
					58		Compliance with licensing and plan review						
Follow-up:					Follow-up Date:								