

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255334		(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 0... B. WING		(X3) DATE SURVEY COMPLETED 10/03/2025	
NAME OF PROVIDER OR SUPPLIER TUNICA COUNTY HEALTH & REHAB, LLC				STREET ADDRESS, CITY, STATE, ZIP CODE 1024 HIGHWAY 61 SOUTH , TUNICA, Mississippi, 38676			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE	
K0000	INITIAL COMMENTS 42 CFR 483.73 The facility must meet the applicable provisions of the 2012 (existing) Edition of the Life Safety Code (LSC) of the National Fire Protection Association (NFPA).		K0000				
K0341 SS = F Bldg. 01	Fire Alarm System - Installation CFR(s): NFPA 101 Fire Alarm System - Installation A fire alarm system is installed with systems and components approved for the purpose in accordance with NFPA 70, National Electric Code, and NFPA 72, National Fire Alarm Code to provide effective warning of fire in any part of the building. In areas not continuously occupied, detection is installed at each fire alarm control unit. In new occupancy, detection is also installed at notification appliance circuit power extenders, and supervising station transmitting equipment. Fire alarm system wiring or other transmission paths are monitored for integrity. 18.3.4.1, 19.3.4.1, 9.6, 9.6.1.8 This STANDARD is NOT MET as evidenced by: Based on observations, the facility failed to maintain a complete manual fire alarm system as directed by NFPA 72 Chapter 10, and NFPA 101 section 9.6. The deficient practice affected all smoke compartments and all 53 residents in facility on the day of survey. Findings Include: On 10/2/25 at 10:15 AM, observation reveled "trouble signal" for phone line on the facility main fire alarm panel. The Maintenance Supervisor was unable to reset the fire alarm panel to "normal" mode. During the interview between the SA Life Safety Code (LSC) Surveyor and the Maintenance Director, a fire alarm test was conducted by initiation of a manual pull station. During the fire alarm testing, the Systronics Monitoring Company stated that they did not receive signal notification from the facility. Also, during the fire alarm testing, the smoke barrier and exit doors		K0341				

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255334		(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 0... B. WING		(X3) DATE SURVEY COMPLETED 10/03/2025	
NAME OF PROVIDER OR SUPPLIER TUNICA COUNTY HEALTH & REHAB, LLC				STREET ADDRESS, CITY, STATE, ZIP CODE 1024 HIGHWAY 61 SOUTH , TUNICA, Mississippi, 38676			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
K0341 SS = F Bldg. 01	Continued from page 1 did release, and the fire alarm visuals and hearing aids functioned properly. The findings were acknowledged during the interview with the Administrator. During the LSC inspection, the Administrator notified the employees and implemented the facility fire watch. The finding was acknowledged by the Administrator and Maintenance Supervisor also verified this observation during the exit interview on 10/2/25.			K0341			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 255334		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 10/03/2025	
NAME OF PROVIDER OR SUPPLIER TUNICA COUNTY HEALTH & REHAB, LLC				STREET ADDRESS, CITY, STATE, ZIP CODE 1024 HIGHWAY 61 SOUTH , TUNICA, Mississippi, 38676			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
E0000	Initial Comments *EMERGENCY PREPAREDNESS* Survey conducted on 10/02/25 revealed the above facility meets all applicable Federal, State and local emergency preparedness requirements. No deficiencies were cited.			E0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------