

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/24/2011
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 355050	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - MAPLE MANOR CARE CE B. WING _____		(X3) DATE SURVEY COMPLETED 12/06/2010
NAME OF PROVIDER OR SUPPLIER MAPLE MANOR CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1116 9TH AVE LANGDON, ND 58249		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	INITIAL COMMENTS This survey used the 2000 edition of NFPA 101, Life Safety Code, Chapter 18 New Health Care Occupancies in compliance with 42 CFR 483.70(a). The facility is located in a one-story building of Type V (111) construction. The building is protected throughout by an automatic sprinkler system designed to meet NFPA 13, Standard for the Installation of Sprinkler Systems. The existing business office is separated by an occupancy separation wall having a two-hour fire resistive rating. An apartment building was connected to the south side and separated by an occupancy separation wall having a two-hour fire resistance rating. At the conclusion of the LSC survey, it was determined the facility was in compliance with the standards.	K 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.