

Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 1932	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/20/2017
NAME OF PROVIDER OR SUPPLIER CNC ALZHEIMER'S HOME CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 7765 CLEARWOOD AVE, LAS VEGAS, NEVADA ,89123		
(X4) ID PREFIX TAG 0000	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG 0000	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	Initial Comments - Inspector Comments: This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 07/20/17. This State Licensure survey was conducted by the authority of NRS 449.0307, Powers of the Division of Public and Behavioral Health. The facility is licensed for nine Residential Facility for Group beds for elderly and disabled person and/or persons with Alzheimers disease. The census at the time of the survey was five. Five resident files were reviewed and four employee files were reviewed. The facility received a grade of A. The findings and conclusions of any investigation by the Division of Public and Behavioral Health shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. There were no deficiencies identified. The facility is in substantial compliance with the regulations.			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER Name: _____ Title: _____ Date: _____
REPRESENTATIVE'S SIGNATURE