Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	5432	A. BUILDING _____ B. WING _____	07/30/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
RAINBOW CONNECTIONS GROUP CARE HOME	**820 ANTIGUA ST, LAS VEGAS, NEVADA ,89145**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
RFG 0000- No Deficiencies	The Statement of Deficiencies was generated as a result of a state licensure survey conducted in your facility, in accordance with Nevada administrative code, chapter 449, and Nevada revised statutes chapter 449- Residential Facility for Groups (RFG), medical facilities and other related entities. The findings and conclusions of any investigation by the Division of Health Care Purchasing and Compliance shall not be construed as prohibiting any criminal civil investigation, actions or other claims for reliefs that may be available to any party under applicable federal, state or local law. The RFG was found to be in substantial compliance. No regulatory deficiencies were identified. No further action is necessary. Inspector Comments: This Statement of Deficiencies was generated as a result of an annual State Licensure survey completed in your facility on 07/30/26. This State Licensure survey was conducted in accordance with NAC 449, Residential Facilities for Groups. The facility is licensed for ten Residential Facility for Group beds for persons with Alzheimer's disease, Category II residents. The census at the time of the survey was eight. Eight resident files and seven employee files were reviewed. The facility received a grade of A.	RFG 0000- No Deficiencies		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Name: Title: Date: