

Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 5742	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/24/2020
NAME OF PROVIDER OR SUPPLIER MONARCH GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6112 FISHER AVE, LAS VEGAS, NEVADA ,89130		
(X4) ID PREFIX TAG 0000	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG 0000	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	Initial Comments Inspector Comments: This Statement of Deficiencies was generated as a result of a COVID-19 focused infection control State Licensure survey conducted initiated at your facility on 09/24/20, in accordance with Nevada Administrative Code (NAC) Chapter 449, Residential Facility for Groups. The facility is licensed for ten Residential Facility for Group beds for elderly and disabled persons, five Category I and five Category II residents. The census at the time of the survey was eight. The facility had no residents or staff positive with COVID-19. The COVID-19 focused infection control survey included the following: Observations: - Signage was posted at the facility entrance prohibiting non-essential visitors, requiring a mask before entry, and directing visitors to sanitize hands when entering. - Facility staff checked the temperature of the health facility inspector upon entry. - Health facility inspector was asked COVID-19 screening questions related to: symptoms, travel history, and exposure to the virus at other facilities prior to entry to the facility. - Health facility inspector was asked to sanitize their hands prior to entry. - Hand sanitizer was located next to the front door, in the kitchen, in the bathroom, and in the office. - One caregiver and the Administrator wore cloth masks. - The caregiver wore gloves with resident contact. - The caregiver washed hands and utilized alcohol-based hand sanitizers between tasks. - Residents were in the living room and in their private and shared bedrooms distanced six feet apart. - Staff cleaned high touch areas with a bleach and water solution. - The facility had two 34-ounce bottles of hand sanitizer, one 10-ounce bottle of hand sanitizer, and one 12-ounce bottle of hand sanitizer, 3, 400 gloves, and 150 disposable masks. - Two non-contact thermometers were available. Interview with one caregiver and the Administrator revealed: - Visitors were limited to essential healthcare workers. - Temperature checks are completed for staff and essential visitors upon entrance to the facility. - All visitors and staff are asked COVID-19 screening			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER Name:
REPRESENTATIVE'S SIGNATURE

Title:

Date:

Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 5742	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/24/2020
NAME OF PROVIDER OR SUPPLIER MONARCH GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6112 FISHER AVE, LAS VEGAS, NEVADA ,89130		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
	questions related to: symptoms, travel history, and exposure to the virus at other facilities prior to entry to the facility. - Visitors are required to utilize hand sanitizer or wash hands upon entry. - Resident temperatures were checked every day in the morning. - Residents were spaced six feet apart for meals and activities. - Staff sanitized high touch areas throughout the day with a bleach and water solution. - Training was held regarding proper donning and doffing of personal protective equipment (PPE). - The facility had a plan in place for isolation and quarantining residents. Record Review: - Infection Control Program policies and procedures documented measures to ensure isolation and prevention of COVID-19. - Standard and transmission-based precautions for COVID-19. - Visitor entry and facility screening practices including screening questions, hand sanitization and temperature checks. - Education, monitoring and screening practices of staff including proper PPE use, temperature checks, hand washing and sanitization. - Facility policies and procedures to address staffing issues during emergencies, such as the transmission of COVID-19. The findings and conclusions of any investigation by the Division of Public and Behavioral Health shall not be construed as prohibiting any criminal or civil investigation, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. No regulatory deficiencies were identified. No further action necessary. Please retain a copy for your records.			