Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	6027	A. BUILDING _____ B. WING _____	07/15/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
BELLA CARE HOME	**5905 CONCERT DR, LAS VEGAS, NEVADA ,89107**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
RFG 0000- No Deficiencies	The Statement of Deficiencies was generated as a result of a state licensure survey conducted in your facility, in accordance with Nevada administrative code, chapter 449, and Nevada revised statutes chapter 449- Residential Facility for Groups (RFG), medical facilities and other related entities. The findings and conclusions of any investigation by the Division of Health Care Purchasing and Compliance shall not be construed as prohibiting any criminal civil investigation, actions or other claims for reliefs that may be available to any party under applicable federal, state or local law. The RFG was found to be in substantial compliance. No regulatory deficiencies were identified. No further action is necessary. Inspector Comments: This Statement of Deficiencies was generated as a result of a complaint survey initiated at your facility on 07/15/26. The census at the time of the survey was eight. The sample size was three. There was one complaint investigated. Substantiated without deficient practice: 1. Complaint #14057 was substantiated with no deficient practice. The investigation of the complaint included: Observation grooming and physical appearance for residents and the temperature of the interior of the facility. Interviews were conducted with residents, family, a Caregiver, and the House Manager. No clinical records were reviewed. No documents were reviewed.	RFG 0000- No Deficiencies		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Name: Title: Date:

Division of Public and Behavioral Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	6027	A. BUILDING _____ B. WING _____	07/15/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
BELLA CARE HOME	**5905 CONCERT DR, LAS VEGAS, NEVADA ,89107**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE