VERMONT

Department of Disabilities, Aging and Independent Living
Division of Licensing and Protection
280 State Drive/HC 2 South
Waterbury, VT 05671-2060
www.dlp.vermont.gov

[phone] 802-241-0344
[fax] 802-241-0343

AGENCY OF HUMAN SERVICES

June 23, 2026

Mr. Shawn Hallisey, Administrator
St. Johnsbury Health & Rehab
1248 Hospital Drive
Saint Johnsbury, VT 05819

Provider ID #: 475019

Dear Mr. Hallisey:

On **June 23, 2026**, we conducted a revisit to the survey of **May 4, 2026**, to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility is in substantial compliance with participation requirements found in Title 42, Code of Federal Regulations as of **June 13, 2026**.

If you have any questions concerning this letter, please contact me at (802) 241-0480.

Sincerely,

Pamela M Cota RN

Pamela M. Cota, RN, BS
Assistant Division Director
State Survey Agency Director

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 475019	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 06/23/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
St. Johnsbury Health & Rehab	**1248 Hospital Drive , Saint Johnsbury, Vermont, 05819**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F0000	INITIAL COMMENTS The Division of Licensing and Protection conducted an unannounced, onsite revisit survey at the facility on 6/23/26. The violations previously identified have been corrected.	F0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE