VERMONT

Department of Disabilities, Aging and Independent Living
Division of Licensing and Protection
280 State Drive/HC 2 South
Waterbury, VT 05671-2060
www.dlp.vermont.gov

[phone] 802-241-0344
[fax] 802-241-0343

AGENCY OF HUMAN SERVICES

Survey and Certification Voice/TTY (802) 241-0480
Survey and Certification Fax (802) 241-0343
Survey and Certification Reporting Line: (888) 700-5330
To Report Adult Abuse: (800) 564-1612

July 1, 2026

Mary Belanger, Manager
St Joseph's Residential Care Home
243 North Prospect Street
Burlington, VT 05401-1609

Dear Ms. Belanger:

On **June 30, 2026**, we conducted a revisit to the survey of **April 27, 2026** to verify that your facility had achieved substantial compliance. Based on our revisit, we found that your facility has corrected all violations cited at the time of this survey**.**

If you have any questions regarding this report, please feel free to contact this office at (802) 585-0995.

Sincerely,



Carolyn Scott, LMHC, M.S.
State long Term Care Manager

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	0155	A. BUILDING: _____ B. WING _____	R-C 06/30/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
ST JOSEPH'S RESIDENTIAL CARE HOME	243 NORTH PROSPECT STREET BURLINGTON, VT 05401

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{R100}	Initial Comments On June 30, 2026, the Division of Licensing and Protection conducted an unannounced on-site follow-up survey to determine whether the licensee had returned to compliance with the Vermont Residential Care Home Licensing Regulations following deficiencies cited during an investigation conducted on April 27, 2026. As a result of the follow-up survey conducted on June 30, 2026, the licensee was determined to be back in compliance with the applicable licensing rules.	{R100}		

Division of Licensing and Protection
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE