STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
HOME AND COMMUNITY LIVING ADMINISTRATION
800 NE 136th Ave Ste 200, Vancouver, WA 98684

05/11/2026

Cogir Management USA Inc
Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

RE: Cogir of Glenwood Place # 2645

Dear Administrator:

This letter addresses deficiencies occurring in the report(s) for: Compliance Determination(s) 76896 (Completion Date 05/11/2026) and 74028 (Completion Date 03/18/2026).

The Department completed a follow-up inspection of your Assisted Living Facility on 05/11/2026 and found no deficiencies.

The Department found that deficiencies for the following licensing laws and regulations were corrected:
WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed.

The Department staff who did the On Site verification:
Richard Westom, NCI, ALF Complaint Investigator

If you have any questions, please contact me at (360)450-1218.

Sincerely,

Clinton Fridley, RN

Clinton Fridley, Community Nurse Field Manager

This document was prepared by Residential Care Services for the Locator website.

Region 3, Unit E
Residential Care Services

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
HOME AND COMMUNITY LIVING ADMINISTRATION
800 NE 136th Ave Ste 200, Vancouver, WA 98684

Statement of Deficiencies	License #: 2645	Compliance Determination #74028
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 1 of 3	Licensee: Cogir Management USA Inc	03/18/2026

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site follow-up on 03/09/2026 of:
Cogir of Glenwood Place
6800 NE 82nd Ave
Vancouver, WA 98662

This document references the following SOD dated: 03/18/2026

The following sample was selected for review during the unannounced on-site visit: 212 of 212 current residents and 0 former residents.

The department staff that inspected the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Home and Community Living Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON

DEPARTMENT OF SOCIAL AND HEALTH SERVICES

HOME AND COMMUNITY LIVING ADMINISTRATION

800 NE 136th Ave Ste 200, Vancouver, WA 98684

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site follow-up on 03/09/2026 of:
Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

This document references the following SOD dated: 03/18/2026

The following sample was selected for review during the unannounced on-site visit: 212 of 212 current residents and 0 former residents.

The department staff that inspected the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Home and Community Living Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination #74028
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 2 of 3	Licensee: Cogir Management USA Inc	03/18/2026

As a result of the on-site visit(s) the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley RN
Residential Care Services

03/24/2026
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Administrator (or Representative)

3/25/26
Date

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed..

This requirement was not met as evidenced by:

Based on interview and record review, the facility has repeatedly failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.

Findings included...

On 03/09/2026 at 10:02 AM, Staff A, Administrator, stated the facility fixed everything that was in the Fire Marshall report.

On 03/12/2026 at 2:30 PM, Collateral Contact 1, State fire marshal, stated that "I just left the facility, and they failed my re-inspection."

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 03/12/2026, showed the facility had failed to gain and maintain compliance as required by state law, it also documented the previous inspections conducted on 01/21/2026, 09/23/2025, 07/29/2025, and 05/20/2025 had failed as well, current findings below:

This document was prepared by Residential Care Services for the Locator website.

As a result of the on-site visit(s) the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley RN
Residential Care Services

03/24/2026
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Administrator (or Representative)

Date

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed.

This requirement was not met as evidenced by:

Based on interview and record review, the facility has repeatedly failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.

Findings included...

On 03/09/2026 at 10:02 AM, Staff A, Administrator, stated the facility fixed everything that was in the Fire Marshall report.

On 03/12/2026 at 2:30 PM, Collateral Contact 1, State fire marshal, stated that "I just left the facility, and they failed my re-inspection."

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 03/12/2026, showed the facility had failed to gain and maintain compliance as required by state law, it also documented the previous inspections conducted on 01/21/2026, 09/23/2025, 07/29/2025, and 05/20/2025 had failed as well, current findings below:

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination #:74028
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 3 of 3	Licensee: Cogir Management USA Inc	03/18/2026

• **Owner's Responsibility:** "The facility failed to complete fire resistance-rated construction inspection that includes the attic space. Facility shall provide listing of the assemblies installed throughout the building."

On 03/18/2026 at 10:04 AM, Staff A stated the fire marshal didn't accept the report for the repairs, the contractor is here now looking at the attic space. "I understand we will get another citation for not being done with repairs."

This is a recurring deficiency on 01/22/2026, 11/18/2025 and 09/24/2025 and an uncorrected deficiency previously cited on 01/22/2026.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date) 5/2/26.

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

Administrator (or Representative) — Date: 3/25/26

This document was prepared by Residential Care Services for the Locator website.

- **Owner's Responsibility:** "The facility failed to complete fire resistance-rated construction inspection that includes the attic space. Facility shall provide listing of the assemblies installed throughout the building."

On 03/18/2026 at 10:04 AM, Staff A stated the fire marshal didn't accept the report for the repairs, the contractor is here now looking at the attic space. "I understand we will get another citation for not being done with repairs."

This is a recurring deficiency on 01/22/2026, 11/18/2025 and 09/24/2025 and an uncorrected deficiency previously cited on 01/22/2026.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date)_____ .

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

_____ _____

Administrator (or Representative) Date

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
HOME AND COMMUNITY LIVING ADMINISTRATION
800 NE 136th Ave Ste 200, Vancouver, WA 98684

Statement of Deficiencies	License #: 2545	Compliance Determination #71025
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 1 of 3	Licensee: Cogir Management USA Inc	01/22/2026

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site follow-up on 01/08/2026 of:
Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

This document references the following SOD dated: 01/22/2026

The following sample was selected for review during the unannounced on-site visit: 193 of 193 current residents and 0 former residents.

The department staff that inspected the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Home and Community Living Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON

DEPARTMENT OF SOCIAL AND HEALTH SERVICES

HOME AND COMMUNITY LIVING ADMINISTRATION

800 NE 136th Ave Ste 200, Vancouver, WA 98684

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site follow-up on 01/06/2026 of:
Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

This document references the following SOD dated: 01/22/2026

The following sample was selected for review during the unannounced on-site visit: 193 of 193 current residents and 0 former residents.

The department staff that inspected the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Home and Community Living Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination #71025
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 2 of 3	Licensee: Cogir Management USA Inc	01/22/2026

As a result of the on-site visit(s) the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley RN
Residential Care Services

01/29/2026
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Administrator (or Representative)

1/30/26
Date

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed..

This requirement was not met as evidenced by:

Based on interview and record review, the facility failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.

Findings included...

During an unannounced visit on 01/06/2026 at 12:11 PM, Staff A, Administrator, stated everything on the Fire Marshal report had been fixed except two doors still need fixed and a couple dampers need replaced, these will be corrected by 01/09/2026.

In an interview on 01/21/2026 at 10:30 AM, Collateral Contact 1 (CC1) State Fire Marshal says he just completed a re-inspection and the facility failed to correct all the deficiencies.

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 01/21/2026, showed the facility had failed to gain and maintain compliance as required by state law, it also documented that previous inspections on 09/23/2025, 07/29/2025 and 05/20/2025 had failed as well, current findings below:

This document was prepared by Residential Care Services for the Locator website.

As a result of the on-site visit(s) the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley RN
Residential Care Services

01/29/2026
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Administrator (or Representative)

Date

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed.

This requirement was not met as evidenced by:

Based on interview and record review, the facility failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.

Findings included...

During an unannounced visit on 01/06/2026 at 12:11 PM, Staff A, Administrator, stated everything on the Fire Marshal report had been fixed except two doors still need fixed and a couple dampers need replaced, these will be corrected by 01/09/2026.

In an interview on 01/21/2026 at 10:30 AM, Collateral Contact 1 (CC1) State Fire Marshal says he just completed a re-inspection and the facility failed to correct all the deficiencies.

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 01/21/2026, showed the facility had failed to gain and maintain compliance as required by state law, it also documented that previous inspections on 09/23/2025, 07/29/2025 and 05/20/2025 had failed as well, current findings below:

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License # 2645	Compliance Determination # 71025
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 3 of 3	Licensee: Cogir Management USA Inc	01/22/2026

- **2. Owner's responsibility:** "The facility failed to provide inventory and annual inspection of fire resistance rated construction."

In an interview on 01/22/2026 at 10:50 AM, Staff B, Assistant Administrator, stated the Fire Marshal was at the facility on 01/21/2026 and the facility still had deficiencies.

This is a recurring deficiency previously cited on 09/24/2025 and an uncorrected deficiency previously cited on 11/18/2025 and 09/24/2025.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date) 03/08/26.

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

Rueda
Administrator (or Representative)

1/30/26
Date

This document was prepared by Residential Care Services for the Locator website.

• **2. Owner's responsibility:** "The facility failed to provide inventory and annual inspection of fire resistance rated construction."

In an interview on 01/22/2026 at 10:50 AM, Staff B, Assistant Administrator, stated the Fire Marshal was at the facility on 01/21/2026 and the facility still had deficiencies.

This is a recurring deficiency previously cited on 09/24/2025 and an uncorrected deficiency previously cited on 11/18/2025 and 09/24/2025.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date)_____ .

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

_____ _____

Administrator (or Representative) Date

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
AGING AND LONG-TERM SUPPORT ADMINISTRATION
800 NE 136th Ave Ste 200, Vancouver, WA 98684

Statement of Deficiencies	License #: 2645	Compliance Determination # 68803
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 1 of 3	Licensee: Cogir Management USA Inc	11/18/2025

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site follow-up on 11/17/2025 of:
Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

This document references the following SOD dated: 11/18/2025

The following sample was selected for review during the unannounced on-site visit: 197 of 197 current residents and 0 former residents.

The department staff that inspected the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Aging and Long-Term Support Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination # 68803
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 2 of 3	Licensee: Cogir Management USA Inc	11/18/2025

As a result of the on-site visit(s) the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley RN
Residential Care Services

11/24/2025
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Administrator (or Representative) [signature] Date 11/26/25

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed.

This requirement was not met as evidenced by:

Based on interview and record review, the facility failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.

Findings included...

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 09/23/2025, showed the facility had failed to gain and maintain compliance as required by state law, it also documented that previous inspections on 07/29/2025 and 05/20/2025 had failed as well, current findings are below:
1. Inspection and Maintenance: "When conducting a walk through verifying the fire door inspection report the following doors were found out of compliance. Laundry by room 102, room 103, room 365 and laundry by room 302."
2. Duct and Air Transfer Openings – Maintaining Protection: "The facility failed to provide the following reports, Fire damper inspection report meeting NFPA 80 and 105."

On 11/17/2025 at 09:57 AM, Staff A, administrator, stated that everything on the fire marshal report had been repaired except the doors and the dampers. Staff A stated that they have hired a contractor to do the repairs, but that they don't have a start or a

This document was prepared by Residential Care Services for the Locator website.

completion date. Staff (A) stated, "I expect another citation, were not done with repairs."

This is an uncorrected deficiency previously cited on 09/24/2025.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date) 1/01/2026 .

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

Administrator (or Representative) [signature] Date 11/26/25

This document was prepared by Residential Care Services for the Locator website.

Residential Care Services
Investigation Summary Report

Provider/Facility: Cogir of Glenwood Place
Provider Type: Assisted Living Facility

License/Cert.#: 2645
Intake ID: 192826
Compliance Determination #: 65594
Region/Unit #: RCS Region 3 / Unit E
Investigator: Richard Westom
Investigation Date(s): 09/15/2025 through 09/24/2025
Complainant Contact Date(s):

Allegation(s):
1. State monitoring. Facility with failed fire marshal visit.

Investigation Methods:

Sample:	Total residents: 195 Resident sample size: 195 Closed records sample size: 0
Observations:	Tour of facility
Interviews:	Assistant administrator Maintenance staff
Record Reviews:	Maintenance logs

Investigation Summary:
1. State monitoring. After interviews and record review the facility failed to come into compliance with state fire marshal deficiencies. Failed practice.

Conclusion / Action:

- [x] Failed Provider Practice Identified / Citation(s) Written
- [ ] Failed Provider Practice Not Identified / No Citation Written
- [ ] N/A

This document was prepared by Residential Care Services for the Locator website.

STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
AGING AND LONG-TERM SUPPORT ADMINISTRATION
800 NE 136th Ave Ste 200, Vancouver, WA 98684

Statement of Deficiencies	License #: 2645	Compliance Determination # 65594
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 1 of 3	Licensee: Cogir Management USA Inc	09/24/2025

You are required to be in compliance at all times with all licensing laws and regulations to maintain your Assisted Living Facility license.

The department completed data collection for an unannounced on-site complaint investigation on 09/15/2025 and 09/24/2025 of:

Cogir of Glenwood Place
5500 NE 82nd Ave
Vancouver, WA 98662

This document references the following complaint number(s): 192826

The following sample was selected for review during the unannounced on-site visit: 195 of 195 current residents and 0 former residents.

The department staff that investigated the Assisted Living Facility:

Richard Westom, NCI, ALF Complaint Investigator

From:
DSHS, Aging and Long-Term Support Administration
Residential Care Services, Region 3 , Unit E
800 NE 136th Ave Ste 200
Vancouver, WA 98684

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination # 65594
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 2 of 3	Licensee: Cogir Management USA Inc	09/24/2025

As a result of the on-site visit(s), the department found that you are not in compliance with the licensing laws and regulations as stated in the cited deficiencies in the enclosed report.

Clinton Fridley
Residential Care Services

09/30/2025
Date

I understand that to maintain an Assisted Living Facility license, the facility must be in compliance with all the licensing laws and regulations at all times.

Almeda
Administrator (or Representative)

10/10/25
Date

WAC 388-78A-2040 Other requirements.

(1) The assisted living facility must comply with all other applicable federal, state, county and municipal statutes, rules, codes and ordinances, including without limitations those that prohibit discrimination.

(2) The assisted living facility must have its building approved by the Washington state fire marshal in order to be licensed.

This requirement was not met as evidenced by:

Based on interview and record review, the facility failed to stay in compliance with the local and state fire ordinances for 1 of 1 Assisted Living Facilities (ALF). This failure placed all residents, visitors, and staff at risk of injury and harm in the event of a fire.
Findings included...

Review of the Washington State Fire Marshal's letter of Non-compliance, dated 07/29/2025, showed the facility had a previous inspection on 05/20/2025 and failed to gain and maintain compliance as required by state law.

On 09/15/2025 at 09:45 AM, Staff B, assistant administrator, said " I think everything in the report has been fixed, let me get the maintenance director."

In an interview on 09/15/2025 at 09:50 AM, Staff C, maintenance director, stated that everything in the fire marshal report has been fixed.

In an interview on 09/23/2025 at 03:30 PM, Collateral Contact 1 (CC1), State fire marshal, stated that they visited the facility today [09/23/2025] and the facility failed the re-visit.

This document was prepared by Residential Care Services for the Locator website.

Statement of Deficiencies	License #: 2645	Compliance Determination # 65594
Plan of Correction	Cogir of Glenwood Place	Completion Date
Page 3 of 3	Licensee: Cogir Management USA Inc	09/24/2025

Review of Washington State fire Marshal's letter of Non-compliance, dated 09/23/2025, states during a re-inspection one or more of the violations remained uncorrected as listed below:

- **4. Inspection and maintenance:** When conducting a walk through verifying the fire door inspection report the following doors were found out of compliance; Laundry by room 102, Room 103, Elevator 2 floor 1 and floor 3 broken hardware not latching, Panic hardware found broken by room 328 and 228 elevator, Room 365, Laundry by 302, Elevator door 328
- **6. Duct and air transfer openings- maintaining Protection:** The facility failed to provide the following reports. Fire damper inspection report meeting NFPA 80 and 105
- **7. Testing and maintenance:** The facility failed to provide the following reports.
- 10-year fire sprinkler head testing or replacement dry pendants
- 5-year FDC hydro testing
- Dirty sprinkler heads in Bistro above char broiler
- **8.Extinguishing System Service:** Instructions shall be provided to new employees on hiring and to all employees annually on the use of portable fire extinguishers and the manual activation of the fire-extinguishing system.
- **10. Power Test:** The facility failed to provide the following reports.
- Annual emergency lighting inspection report.
- **12. Maintenance:** Generator fuel testing failed/has not been fixed

In an interview on 09/24/2025 at 12:43 PM, Staff (A), Administrator, stated that they understand the facility needs to always maintain compliance with the state fire marshal regulations.

Plan/Attestation Statement

I hereby certify that I have reviewed this report and have taken or will take active measures to correct this deficiency. By taking this action, Cogir of Glenwood Place is or will be in compliance with this law and / or regulation on (Date) 11/8/25 .

In addition, I will implement a system to monitor and ensure continued compliance with this requirement.

Administrator (or Representative) Aneela Date 10/10/25

This document was prepared by Residential Care Services for the Locator website.