STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 535013	(X2) MULTIPLE CONSTRUCTION A. BUILDING **01 - MAIN BUILD...** B. WING	(X3) DATE SURVEY COMPLETED **05/26/2026**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
Granite Rehabilitation and Wellness	**3128 Boxelder Dr , Cheyenne, Wyoming, 82001**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K0000 Bldg. 01	INITIAL COMMENTS A Life Safety Code revisit survey was conducted by Healthcare Licensing and Surveys on 05/26/2026 for all previous deficiencies identified on 03/26/2026 and 3/27/2026. All deficiencies have been corrected, and no new non-compliance was found. The facility is in compliance with all requirements in accordance with 42 CFR 483.90.	K0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE